

PRODUCT-DETAILS

MLBL-00BG

MLBL-00BG LED block



General Information

| | |
|-----------------------|--|
| Extended Product Type | MLBL-00BG |
| Product ID | 1SFA611621R2002 |
| EAN | 7320500373675 |
| Catalog Description | MLBL-00BG LED block |
| Long Description | Modular LED block - 12V DC, integrated LED - Green - Illuminated |

Ordering

| | |
|------------------------|---------------|
| E-Number (Sweden) | 3705641 |
| EAN | 7320500373675 |
| Minimum Order Quantity | 10 piece |
| Customs Tariff Number | 85369001 |

Dimensions

| | |
|----------------------------|---------|
| Product Net Width | 0.044 m |
| Product Net Height | 0.01 m |
| Product Net Depth / Length | 0.035 m |
| Product Net Weight | 0.01 kg |

Container Information

| | |
|--------------------------------|--------------|
| Package Level 1 Units | bag 10 piece |
| Package Level 1 Width | 0.11 m |
| Package Level 1 Height | 0.01 m |
| Package Level 1 Depth / Length | 0.15 m |
| Package Level 1 Gross Weight | 0.11 kg |

Environmental

| | |
|-------------|--|
| RoHS Status | Following EU Directive 2015/863 July 22, 2019 (RoHS 3) |
|-------------|--|

Additional Information

| | |
|---------------------------------|--|
| Accessory Type | LED and lamp blocks |
| Color | Green |
| Connection Type | Screw Clamp |
| Degree of Protection | Terminals IP20 |
| Illumination | Illuminated |
| Lamp Type | 12V DC, integrated LED |
| Luminance | 1500 millicandela |
| Mounting Type | Rear mounting |
| Product Main Type | MLBL |
| Product Name | LED block |
| Product Range | Modular range |
| Product Type | MLBL |
| Rated Current (I _n) | 9.3 mA |
| Rated Frequency (f) | 50 / 60 Hz |
| Rated Operational Voltage | 12 V DC |
| RoHS Date | 0635 4 |
| Suitable For | MP1 MP2 MP3 MP4 MPD1 MPD2 MPD3 MPD4 MPD5 MPD11 MPD12 MPD13 MPD14 MPD15 MPD16 MPM1 MPM2 KP6 MPET3 MPEP3 MPEK3 MPET4 MPEP4 MPEK4 MPMT3 MPMT4 MPMP3 MPMP4 M2SS1 M2SS2 M2SS3 M2SS4 M2SS5 |

M2SS6
M3SS1
M3SS2
M3SS3
M3SS4
M3SS5
M3SS6
M3SS7
M3SS8
M3SSC1
M3SSC2
M3SSC3
M3SSC4
M3SSC5
M3SSC6
M3SSC7
M3SSC8
M2SSK1
M2SSK2
M2SSK3
M3SSK1
M3SSK2
M3SSK3
MTS1
MTS2
MTS3
MJS1
MJS2
MJS5
MJS6
MJS7
MJS8
MJS11
MJS12

| | |
|---------------------------|--------|
| Wave Length (λ) | 520 nm |
|---------------------------|--------|

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Declaration of Conformity - CE | 2CMT2015-005452 |
| DNV GL Certificate | E-14107 |
| Environmental Information | 1SFC151010D0201 |
| Instructions and Manuals | 1SFC151011M0201 |
| RoHS Information | 2CMT2015-005452 |

Classifications

| | |
|----------------------------|--|
| ETIM 4 | EC002024 - Accessories for control circuit devices |
| ETIM 5 | EC000204 - Lamp holder block for control circuit devices |
| ETIM 6 | EC000204 - Lamp holder block for control circuit devices |
| ETIM 7 | EC000204 - Lamp holder block for control circuit devices |
| Object Classification Code | E |
| UNSPSC | 39120000 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Accessories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Plastic Range

