

PRODUCT-DETAILS

# CL2-502G

## Compact LED Pilot Light (CL2-502G)



### General Information

Extended Product Type	CL2-502G
Product ID	1SFA619403H5022
EAN	7320500476055
Catalog Description	Compact LED Pilot Light (CL2-502G)
Long Description	Compact LED Pilot Light (CL2-502G)

### Ordering

EAN	7320500476055
Minimum Order Quantity	100 piece
Customs Tariff Number	85365019

### Dimensions

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.052 m
Product Net Weight	0.019 kg

### Container Information

Package Level 1 Units	bag 10 piece
-----------------------	--------------

---

## Environmental

---

RoHS Status

Following EU Directive 2015/863 July 22, 2019 (RoHS 3)

---

## Additional Information

---

Actuator Type	Pilot light head
Color	Green
Degree of Protection	Front IP66 Front IP67 Front IP69K Terminals IP20
Illumination	Illuminated
Lamp Type	24V AC / DC, integrated LED
Product Main Type	CL2
Product Name	Pilot Light
Rated Operational Voltage	24 V AC/DC

---



---

## Certificates and Declarations (Document Number)

---

cURus Certificate	UL_E496500-20171020
Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2015-005451
DNV GL Certificate	9AKK107046A3749
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005451

---



---

## Classifications

---

ETIM 5	EC000272 - Indicator light complete
ETIM 6	EC000272 - Indicator light complete
ETIM 7	EC000272 - Indicator light complete
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

## Categories

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

