

# Eaton 3CIF06

Catalog Number: 3CIF06

Fuse-link, LV, 3 A, AC 600 V, DC 250 V, HRCI-CB, 14 x 61 mm, CSA

## General specifications



Photo is representative

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage british standard fuse	3CIF06
	<b>UPC</b>
	051712550963
<b>EAN</b>	<b>Product Length/Depth</b>
5027590478588	61 mm
<b>Product Height</b>	<b>Product Width</b>
15 mm	15 mm
<b>Product Weight</b>	<b>Warranty</b>
0.85 g	Not Applicable
<b>Compliances</b>	
RoHS Compliant	

## defaultTaxonomyAttributeLabel

### Type

Canadian fuse

### Application

Overload and short-circuit protection

### Amperage Rating

3 A

### Construction type

HRCI-CB

### Current type

AC/DC

### Breaking capacity

200 kA

### Frequency rating - max

50 Hz

### Rated switching capacity

200 kA

### Rated voltage AC

600 V

### Rated voltage DC

250 V

### Utilization category

Other

### Color

None

### Fuse indicator

None

### Insulated metal gripping lugs (IMGL)

No

### Connection

Blade end

### Construction size

Other

### Fuse shape

Offset bladed tags

### Voltage type

## Resources

### Catalogs

[CA134002EN](#)

[Bussmann series CIF06 fuse data sheet no. 4128](#)

[Bussmann series complete full line catalog no. 1007](#)

[3CIF06-Eaton Bussmann series low voltage British standard fuse](#)

### Multimedia

[Eaton Bussmann - Red Spot fuse links](#)

### Technical service bulletins

[Datasheet - 3CIF06](#)

AC/DC

Voltage rating

600 V

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)