

# Eaton 3CIF21

Catalog Number: 3CIF21

Fuse-link, low voltage, 3 A, AC 600 V, DC 250 V, HRCI-CA, 14 x 55 mm, CSA

## General specifications



Photo is representative

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage british standard fuse	3CIF21
	<b>UPC</b>
	051712550970
<b>EAN</b>	<b>Product Length/Depth</b>
5027590478595	56 mm
<b>Product Height</b>	<b>Product Width</b>
14 mm	14 mm
<b>Product Weight</b>	<b>Warranty</b>
14.8 g	Not Applicable
<b>Compliances</b>	
RoHS Compliant	

## defaultTaxonomyAttributeLabel

### Type

Canadian fuse

### Application

Overload and short-circuit protection

### Amperage Rating

3 A

### Construction type

HRCI-CA

### Current type

AC/DC

### Breaking capacity

200 kA

### Frequency rating - max

50 Hz

### Rated switching capacity

200 kA

### Rated voltage AC

600 V

### Rated voltage DC

250 V

### Utilization category

Other

### Color

None

### Fuse indicator

None

### Insulated metal gripping lugs (IMGL)

No

### Connection

Bolt-on

### Construction size

Other

### Fuse shape

Offset bolted tags

Cylindrical

## Resources

### Catalogs

Bussmann series HRCI-CA CIF21 fuse data sheet no. 4127

CA134002EN

Bussmann series complete full line catalog no. 1007

3CIF21-Eaton Bussmann series low voltage British standard fuse

### Multimedia

Eaton Bussmann - Red Spot fuse links

### Technical service bulletins

Datasheet - 3CIF21

Voltage type

AC/DC

Voltage rating

600 V

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)