

Eaton 40CIK07

Catalog Number: 40CIK07

Fuse-link, low voltage, 40 A, AC 600 V, HRCI-MISC, gL/gG, CSA



General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage british standard fuse	40CIK07
	UPC
	051712552523
EAN	Product Length/Depth
5027590480055	86 mm
Product Height	Product Width
22 mm	22 mm
Product Weight	Warranty
57 g	Not Applicable
Compliances	
RoHS Compliant	

defaultTaxonomyAttributeLabel

Type

Canadian fuse

Application

Cable protection

Amperage Rating

40 A

Construction type

HRCI-MISC

Current type

AC

Breaking capacity

200 kA

Frequency rating - max

50 Hz

Rated switching capacity

200 kA

Rated voltage AC

600 V

Class

Class gG/gL

Utilization category

gL/gG (cable protection/equipment protection)

Color

None

Fuse indicator

None

Insulated metal gripping lugs (IMGL)

No

Connection

Bolt-on

Construction size

Other

Fuse shape

Offset bolted tags

Voltage type

Resources

Catalogs

CA134002EN

Bussmann series complete full line catalog no. 1007

40CIK07~Eaton Bussmann series low voltage British standard fuse

Multimedia

Eaton Bussmann - Red Spot fuse links

AC

Material

Ceramic body

Voltage rating

600 V

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)