

# Eaton BAF-12

Catalog Number: BAF-12

Eaton Bussmann series BAF fuse, 12 A, Non-indicating, Ferrule end x ferrule end, 10 kAIC at 125 Vac, 750 AIC at 250 Vac, Nickel-plated brass endcaps, Standard, 250 V

## General specifications



Photo is representative

|                                |                       |
|--------------------------------|-----------------------|
| <b>Product Name</b>            | <b>Catalog Number</b> |
| Eaton Bussmann series BAF fuse | BAF-12                |
| <b>UPC</b>                     | <b>EAN</b>            |
| 051712320115                   | 5027590407168         |
| <b>Product Length/Depth</b>    | <b>Product Height</b> |
| 0.41 in                        | 1.5 in                |
| <b>Product Width</b>           | <b>Product Weight</b> |
| 0.41 in                        | 0.25 lb               |
| <b>Warranty</b>                | <b>Compliances</b>    |
| Not Applicable                 | CE Marked             |

## Electrical rating

### Amperage Rating

12 A

### Interrupt rating

10 kAIC at 125 Vac

750 AIC at 250 Vac

### Voltage rating

250 V

## Physical details

### Material

Nickel-plated brass endcaps

### Packaging type

Standard

## General information

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Special features

Replacement for "F15B" fuses

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

### Multimedia

Bussmann series Fuseology

### Specifications and datasheets

Eaton Specification Sheet - BAF-12

### Technical data sheets

BAF-12~BUSS MIDGET FUSE

### Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)