

# Eaton BAF-25

Catalog Number: BAF-25

Eaton Bussmann series BAF fuse, Fast acting, 25 A, Non-indicating, Ferrule end x ferrule end, 10 kAIC at 125 Vac, 200 AIC at 250 Vac, Nickel-plated brass endcaps, Standard, 250 V

## General specifications



Photo is representative

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series BAF fuse	BAF-25
<b>UPC</b>	<b>EAN</b>
051712320252	5027590449069
<b>Product Length/Depth</b>	<b>Product Height</b>
0.41 in	1.5 in
<b>Product Width</b>	<b>Product Weight</b>
0.41 in	0.25 lb
<b>Warranty</b>	<b>Compliances</b>
Not Applicable	CE Marked

## Electrical rating

### Amperage Rating

25 A

### Interrupt rating

10 kAIC at 125 Vac

200 AIC at 250 Vac

### Voltage rating

250 V

## Physical details

### Material

Nickel-plated brass endcaps

### Packaging type

Standard

## General information

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Special features

Replacement for "F15B" fuses

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

### Multimedia

Bussmann series Fuseology

### Specifications and datasheets

Eaton Specification Sheet - BAF-25

### Technical data sheets

BAF-25~BUSS MIDGET FUSE

### Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)