

# Eaton BSPMA1240S2GR

Catalog Number: BSPMA1240S2GR

Eaton Bussmann series BSPM series surge arrester, Technology type MOV, Surge arrester, Thermoplastic, UL94V13, 50/60 Hz, 200 Kilo Ampere, Thermoplastic, Remote Contact

## General specifications



### Product Name

Eaton Bussmann series BSPM series surge arrester

### Catalog Number

BSPMA1240S2GR

### UPC

051712709033

### Product Length/Depth

0.71 in

### Product Height

3.54 in

### Product Width

2.56 in

### Product Weight

0.26 lb

### Warranty

Five year limited warranty

### Compliances

RoHS Compliant

Contact factory

### Certifications

UL 94V0

UL Listed



Powering Business Worldwide

## defaultTaxonomyAttributeLabel

### Type

Surge arrester

### Special features

Technology type MOV

### Application

Surge Protection

### Frequency rating

50/60 Hz

### Nominal Discharge Current

20 kA

### Operating voltage

385/770

### Enclosure

Thermoplastic, UL94V13

### Surge current

200 kA

### Indicator type

Remote contact

### Short-circuit rating

200 kA

### Operating temperature

-35 to 85 °C

### Mounting Method

35 mm DIN rail

### Degree of protection

IP20

### Material

Thermoplastic

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

BSPMA1240S2GR~240V Single Phase, 1P

### Specifications and datasheets

Eaton Specification Sheet - BSPMA1240S2GR



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)