

Eaton BSPMA3600WYGR

Catalog Number: BSPMA3600WYGR

Eaton Bussmann series BSPM series surge arrester, Technology type MOV, 347/600V, Surge arrester, Thermoplastic, UL94V5, 50/60 Hz, 200 Kilo Ampere, Thermoplastic, Remote Contact



General specifications

Product Name	Catalog Number
Eaton Bussmann series BSPM series surge arrester	BSPMA3600WYGR
	UPC
	051712709101
Product Length/Depth	Product Height
2.13 in	3.54 in
Product Width	Product Weight
2.56 in	0.73 lb
Warranty	Compliances
Five year limited warranty	Contact factory
	RoHS Compliant
Certifications	
UL 94V0	
UL Listed	

defaultTaxonomyAttributeLabel

Type

Surge arrester

Special features

Technology type MOV

Application

Surge Protection

Frequency rating

50/60 Hz

Nominal Discharge Current

20 kA

Operating voltage

510

Voltage rating

347/600 V

Enclosure

Thermoplastic, UL94V5

Surge current

200 kA

Indicator type

Remote contact

Short-circuit rating

200 kA

Operating temperature

-35 to 85 °C

Mounting Method

35 mm DIN rail

Degree of protection

IP20

Material

Thermoplastic

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

BSPMA3600WYGR-347/600 Wye, 3P

Specifications and datasheets

Eaton Specification Sheet - BSPMA3600WYGR



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)