Specifications

Eaton FNM-2-1/4

Catalog Number: FNM-2-1/4

Eaton Bussmann series FNM fuse, Time-delay, 2.25 A, Dual, Non-indicating, Ferrule end x ferrule end, 100 AIC at 250 Vac, 10 kAIC at 125 Vac, Nickel-plated bronze endcap, Standard, 250 V

Photo is representative

General specifications

Product Name	**Catalog Number**
Eaton Bussmann series FNM fuse	FNM-2-1/4
UPC	**EAN**
051712520218	5027590060233
Product Length/Depth	**Product Height**
0.39 in	1.44 in
Product Width	**Product Weight**
0.39 in	0.2 lb
Warranty	**Compliances**
Not Applicable	CE Marked RoHS Compliant

Powering Business Worldwide

Electrical rating

Amperage Rating

2.25 A

Interrupt rating

100 AIC at 250 Vac

10 kAIC at 125 Vac

Voltage rating

250 V

Physical details

Material

Nickel-plated bronze endcap

Number of elements

Dual

Packaging type

Standard

General information

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Special features

Superior overload and cycling capabilities

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - FNM-2-1/4

Technical data sheets

FNM-2-1/4~FNM-2-1-4~BUSS MIDGET FUSE

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia