

Eaton KTU-2500

Catalog Number: KTU-2500

Eaton Bussmann Series Class L fuse, KTU, fast-acting, current limiting fuse, 2500 A, blade fuse, interrupting rating of 200kA at 600Vac

General specifications



Photo is representative

Product Name	Catalog Number
Eaton Bussmann series KTU fuse	KTU-2500
UPC	EAN
051712613255	5027590446792
Product Length/Depth	Product Height
5 in	1.75 in
Product Width	Product Weight
5 in	16.625 lb
Warranty	Compliances
Not Applicable	RoHS Compliant CE Marked

Electrical rating

Amperage Rating

2500 A

Interrupt rating

200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Material

Silver-plated end bells

Melamine glass tube

Packaging type

Standard

General information

Class

Class L

Connection

Bolted blade end x bolted blade end

Fuse indicator

Non-indicating

Mounting method

Bolt

Special features

Knife blade

Resources

Catalogs

[Low Voltage Branch Circuit Fuse Chapter](#)

[Bussmann Full Line Catalog](#)

Compliance information

[RoHS Search Tool](#)

Multimedia

[Bussmann series Fuseology](#)

Technical data sheets

[Bussmann series KTU Class L fuse data sheet No. 1010](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)