Specifications

Eaton KTU-3500

Catalog Number: KTU-3500

Eaton Bussmann Series Class L fuse, KTU, fast-acting, current limiting fuse, 3500 A, bladable fuse, interrupting rating of 200kA at 600Vac

Photo is representative

General specifications

Product Name Eaton Bussmann series KTU fuse	Catalog Number KTU-3500
UPC 051712613354	Product Length/Depth 10.75 in
Product Height 5.75 in	Product Width 5.75 in
Product Weight 24 lb	Warranty Not Applicable

Compliances

RoHS Compliant

CE Marked

Powering Business Worldwide

Electrical rating

Amperage Rating

3500 A

Interrupt rating

200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Material

Silver-plated end bells

Melamine glass tube

Packaging type

Standard

General information

Class

Class L

Fuse indicator

Non-indicating

Mounting method

Bolt

Special features

Ferrule design

Resources

Catalogs

Bussmann Full Line Catalog

Low Voltage Branch Circuit Fuse Chapter

Compliance information

RoHS Search Tool

Multimedia

Bussmann series Fuseology

Technical data sheets

Bussmann series KTU Class L fuse data sheet No. 1010

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia