

Eaton LP-CC-30

Catalog Number: LP-CC-30

Eaton Bussmann Series Class CC fuse, LP-CC, time-delay, dual-element current limiting fuse, 30 A, rejection style fuse, interrupting rating of 200 kA at 600 Vac and 20 kA at 300 Vdc



General specifications

Product Name	Catalog Number
Eaton Bussmann series LP-CC fuse	LP-CC-30
UPC	EAN
051712180313	5027590063814
Product Length/Depth	Product Height
0.41 in	1.5 in
Product Width	Product Weight
0.41 in	0.15 lb
Warranty	Compliances
Not Applicable	CE Marked
	RoHS Compliant
Certifications	
UL Listed	
CSA Certified	

Product specifications

Type

Current-limiting time-delay fuse

Special features

Rejection style

Application

Specialized circuits and industrial control

Amperage Rating

30 A

Number of elements

Dual

Class

Class CC

Interrupt rating

200 kAIC at 600 Vac

20 kAIC at 300 Vdc

Fuse indicator

Non-indicating

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Material

Melamine tube

Packaging type

Standard

Quantity

10

Voltage rating

600 Vac, 300 Vdc

Resources

Catalogs

[Low Voltage Branch Circuit Fuse Chapter](#)

[Bussmann Full Line Catalog](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[LP-CC Spec Sheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)