

# Eaton NON-40

Catalog Number: NON-40

Eaton Bussmann Series Class K5 fuse, NON, general purpose, non-current-limiting fuses, 40 A, one-time fuse, interrupting rating of 50 kA at 250 Vac and 50 kA at 125 Vdc

## General specifications



Photo is representative

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series NON fuse	NON-40
<b>UPC</b>	<b>Product Length/Depth</b>
051712101615	3 in
<b>Product Height</b>	<b>Product Width</b>
0.81 in	0.81 in
<b>Product Weight</b>	<b>Warranty</b>
0.01 lb	Not Applicable
<b>Compliances</b>	
CE Marked	

## Electrical rating

### Amperage Rating

40 A

### Interrupt rating

50 kAIC at 250 Vac

50 kAIC at 125 Vdc

### Voltage rating

250 Vac, 125 Vdc

## Physical details

### Packaging type

Standard

## General information

### Class

Class H

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Quantity

10

### Special features

Non current limiting

## Resources

### Catalogs

[Bussmann Full Line Catalog](#)

[Low Voltage Branch Circuit Fuse Chapter](#)

### Compliance information

[RoHS Search Tool](#)

### Multimedia

[Bussmann series Fuseology](#)

### Technical data sheets

[Bussmann series Class H \(K\) Fuses Data Sheet no. 1030](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)