



Advantages of All Leviton Nylon Wallplates

- Molded nylon for maximum resistance to impact, abrasion, grease, oils, acids, moisture, fading and discoloration
- Resistant to mechanical stress associated with high abuse applications
- Includes metal mounting screws that match plate color
- Commercial grade devices backed by a Limited 10-Year Warranty

Standard Size

Commercial Grade Nylon Wallplates

DESCRIPTION		COLOR	CAT. NO.	IND. NO.
1-GANG 1-Toggle		IVORY	80701-I	N1-I
		BLACK	80701-E	N1-BK
		GRAY	80701-GY	N1-GRY
		RED	80701-R	N1-RED
		WHITE	80701-W	N1-W
		BROWN	80701	N1
		ALMOND	80701-A	N1-A
2-GANG 2-Toggles		IVORY	80709-I	N2-I
		BLACK	80709-E	N2-BK
		GRAY	80709-GY	N2-GRY
		RED	80709-R	N2-RED
		WHITE	80709-W	N2-W
		BROWN	80709	N2
		ALMOND	80709-A	N2-A
3-GANG 4-Toggles		IVORY	80711-I	N3-I
		BLACK	80711-E	N3-BK
		GRAY	80711-GY	N3-GRY
		RED	80711-R	N3-RED
		WHITE	80711-W	N3-W
		BROWN	80711	N3
		ALMOND	80711-A	N3-A
4-GANG 4-Toggles		IVORY	80712-I	N4-I
		GRAY	80712-GY	N4-GRY
		RED	80712-R	N4-RED
		WHITE	80712-W	N4-W
		ALMOND	80712-A	N4-A
5-GANG 5-Toggles		IVORY	80723-I	N5-I
		WHITE	80723-W	N5-W
		ALMOND	80723-A	N5-A
6-GANG 6-Toggles		IVORY	80736-I	N6-I
		WHITE	80736-W	N6-W
1-GANG 1-Duplex		IVORY	80703-I	N8-I
		BLACK	80703-E	N8-BK
		GRAY	80703-GY	N8-GRY
		RED	80703-R	N8-RED
		WHITE	80703-W	N8-W
		BROWN	80703	N8
		ORANGE	80703-ORG	N8-ORG
		BLUE	80703-BU	N8-BU
		ALMOND	80703-A	N8-A
		IVORY	80716-I	N82-I
		BLACK	80716-E	N82-BK
2-GANG 2-Duplex		GRAY	80716-GY	N82-GRY
		RED	80716-R	N82-RED
		WHITE	80716-W	N82-W
		BROWN	80716	N82
		ORANGE	80716-ORG	N82-ORG
		BLUE	80716-BU	N82-BU
		ALMOND	80716-A	N82-A

All devices are UL Listed and CSA Certified.












For more information regarding matching wallplates, colors, materials, single and multi-gang, refer to Decora Devices, Section A, and Decora Home Controls, Section B.

Advantages of All Leviton Nylon Wallplates

- Molded nylon for maximum resistance to impact, abrasion, grease, oils, acids, moisture, fading and discoloration
- Resistant to mechanical stress associated with high abuse applications
- Includes metal mounting screws that match plate color
- Commercial grade devices backed by a Limited 10-Year Warranty

Standard Size

Commercial Grade Nylon Wallplates











DESCRIPTION		COLOR	CAT. NO.	IND. NO.
1-GANG 1-Single 1.406" Hole		IVORY	80704-I	N7-I
		BLACK	80704-E	N7-BK
		GRAY	80704-GY	N7-GRY
		RED	80704-R	N7-RED
		WHITE	80704-W	N7-W
		BROWN	80704	N7
		ORANGE	80704-ORG	N7-ORG
		ALMOND	80704-A	N7-A
1-GANG 1-Decora		IVORY	80401-NI	N26-I
		BLACK	80401-NE	N26-BK
		GRAY	80401-NGY	N26-GRY
		RED	80401-NR	N26-RED
		WHITE	80401-NW	N26-W
		BROWN	80401-N	N26
		BLUE	80401-NB	N26-BU
		ALMOND	80401-NA	N26-A
2-GANG 2-Decora		IVORY	80409-NI	N262-I
		BLACK	80409-NE	N262-BK
		GRAY	80409-NGY	N262-GRY
		RED	80409-NR	N262-RED
		WHITE	80409-NW	N262-W
		BROWN	80409-N	N262
		BLUE	80409-NB	N262-BU
		ALMOND	80409-A	N262-A
3-GANG 3-Decora		IVORY	80411-NI	N263-I
		GRAY	80411-NGY	N263-GRY
		WHITE	80411-NW	N263-W
		BROWN	80411-N	N263
		ALMOND	80411-NA	N263
4-GANG 4-Decora		IVORY	80412-NI	N264-I
		WHITE	80412-NW	N264-W
		BROWN	80412-N	N264
		ALMOND	80412-NA	N264-A
1-GANG Phone/Cable .406" Hole, Strap Mount		IVORY	80718-I	N12-I
		BLACK	80718-E	N12-BK
		GRAY	80718-GY	N12-GRY
		WHITE	80718-W	N12-W
		BROWN	80718	N12
1-GANG 1-Blank, Box Mount		IVORY	80714-I	N13-I
		BLACK	80714-E	N13-BK
		GRAY	80714-GY	N13-GRY
		RED	80714-R	N13-R
		WHITE	80714-W	N13-W
		BROWN	80714	N13
		ALMOND	80714-A	N13-A
2-GANG 2-Blanks, Box Mount		IVORY	80725-I	N24-I
		BLACK	80725-E	N24-BK
		GRAY	80725-GY	N24-GRY
		WHITE	80725-W	N24-W
		BROWN	80725	N24
		ALMOND	80725-A	N24-A
1-GANG 20 & 30 Amp Locking Receptacle 1.60" dia. Hole		IVORY	80720-I	N726-I
		BLACK	80720-E	N726-BK
		GRAY	80720-GY	N726-GRY
		RED	80720-R	N726-R
		WHITE	80720-W	N726-W
		BROWN	80720	N726
1-GANG MIDWAY 30 & 50 Amp Power Receptacle 2.15" dia. Hole		IVORY	80728-I	N724-I
		BLACK	80728-E	N724-BK
		GRAY	80728-GY	N724-GRY
		WHITE	80728-W	N724-W
		BROWN	80728	N724
2-GANG 30 & 50 Amp Power Receptacle 2.15" dia. Hole		IVORY	80726-I	N703-I
		WHITE	80726-W	N703-W
		BROWN	80726	N703

For more information regarding matching wallplates, colors, materials, single and multi-gang, refer to Decora Devices, Section A, and Decora Home Controls, Section B.

All devices are UL Listed and CSA Certified.

Standard Size

Commercial Grade Nylon Wallplates




DESCRIPTION		COLOR	CAT. NO.	IND. NO.
2-GANG 1-Toggle 1-Duplex		IVORY	80705-I	N18-I
		BLACK	80705-E	N18-BK
		GRAY	80705-GY	N18-GRY
		RED	80705-R	N18-RED
		WHITE	80705-W	N18-W
		BROWN	80705	N18
		ALMOND	80705-A	N18-A
3-GANG 2-Toggles 1-Duplex		IVORY	80721-I	N28-I
		BLACK	80721-E	N28-BK
		WHITE	80721-W	N28-W
2-GANG 1-Blank, Box Mount, 1-Duplex		IVORY	N138-I	N138-I
		WHITE	N138-W	N138-W
2-GANG 1-Toggle 1-Blank		IVORY	80706-I	_____
		BLACK	80706-E	_____
		GRAY	80706-GY	_____
		RED	80706-R	_____
		WHITE	80706-W	_____
		BROWN	80706	_____
		ALMOND	80706-A	_____
2-GANG 1-Toggle 1-Decora		IVORY	80707-I	_____
		BLACK	80707-E	_____
		GRAY	80707-GY	_____
		RED	80707-R	_____
		WHITE	80707-W	_____
		BROWN	80707	_____
		ALMOND	80707-A	_____
2-GANG 1-Blank 1-Decora		IVORY	80708-I	_____
		BLACK	80708-E	_____
		GRAY	80708-GY	_____
		RED	80708-R	_____
		WHITE	80708-W	_____
		BROWN	80708	_____
		ALMOND	80708-A	_____
1-GANG 1-Blank Strap Mount		IVORY	80719-I	_____
		BLACK	80719-E	_____
		GRAY	80719-GY	_____
		RED	80719-R	_____
		WHITE	80719-W	_____
		BROWN	80719	_____
3-GANG 3-Duplex		IVORY	80730-I	_____
		BLACK	80730-E	_____
		GRAY	80730-GY	_____
		RED	80730-R	_____
		WHITE	80730-W	_____
		BROWN	80730	_____
		ALMOND	80730-A	_____
3-GANG 1-Toggle 2-Decora		IVORY	80731-I	_____
		WHITE	80731-W	_____
		BLACK	80731-E	_____
		GRAY	80731-GY	_____
4-GANG 3-Toggle 1-Decora		IVORY	80732-I	_____
		WHITE	80732-W	_____
2-GANG 2-Blank Strap Mount		IVORY	80734-I	_____
		BLACK	80734-E	_____
		RED	80734-R	_____
		WHITE	80734-W	_____
		BROWN	80734	_____

See page G26 for Engraved Metal Wallplates.
All devices are UL Listed and CSA Certified.



For more information regarding matching wallplates, colors, materials, single and multi-gang, refer to Decora Devices, Section A, and Decora Home Controls, Section B.

Standard Size

Commercial Grade Nylon Wallplates

DESCRIPTION		COLOR	CAT. NO.	IND. NO.
3-GANG 3-Blank Box Mount		IVORY	80735-I	_____
		BLACK	80735-E	_____
		GRAY	80735-GY	_____
		WHITE	80735-W	_____
		BROWN	80735	_____
		ALMOND	80735-A	_____
4-GANG 3-Toggle 1-Duplex		IVORY	80743-I	_____
		WHITE	80743-W	_____
3-GANG 2-Toggle 1-Decora		IVORY	80745-I	_____
		WHITE	80745-W	_____
		ALMOND	80745-A	_____
2-GANG 1-Duplex 1-Decora		IVORY	80746-I	_____
		BLACK	80746-E	_____
		GRAY	80746-GY	_____
		RED	80746-R	_____
		WHITE	80746-W	_____
		BROWN	80746	_____
3-GANG 1-Toggle 2-Duplex		IVORY	80747-I	_____
		WHITE	80747-W	_____

Hot Stamped Nylon Wallplates

DESCRIPTION		COLOR	CAT. NO.	IND. NO.
1-GANG 1-Duplex Stamped "ISOLATED GROUND"		IVORY	80703-IGI	N8-IG
		ORANGE	80703-IG	N8-IG
		WHITE	80703-IGW	N8-IG
1-GANG 1.406" dia. Hole 1-Single Stamped "ISOLATED GROUND"		ORANGE	80704-IG	N7-IG

See page G26 for Engraved Metal Wallplates.
All devices are UL Listed and CSA Certified.

For more information regarding matching wallplates, colors, materials, single and multi-gang, refer to Decora Devices, Section A, and Decora Home Controls, Section B.

Standard Size




Hot Stamped Nylon Wallplates

DESCRIPTION	COLOR	CAT. NO.	IND. NO.
1-GANG 1-Decora 	ORANGE stamped "ISOLATED GROUND"	80401-IG	N26-IG
	IVORY stamped "GFCI PROTECTED"	80401-GFI	_____
	WHITE stamped "GFCI PROTECTED"	80401-GFW	_____
	IVORY stamped "COMPUTER ONLY"	80401-COI	_____
	WHITE stamped "COMPUTER ONLY"	80401-COW	_____
1-GANG 1-Toggle 	RED stamped "EMERGENCY"	80701-RE	N1E-RED
1-GANG 1-Duplex 	RED stamped "EMERGENCY"	80703-RE	N8E-RED
	IVORY stamped "GFCI PROTECTED"	80703-GFI	_____
	WHITE stamped "GFCI PROTECTED"	80703-GFW	_____
	IVORY stamped "COMPUTER ONLY"	80703-COI	_____
	WHITE stamped "COMPUTER ONLY"	80703-COW	_____

See page G26 for Engraved Metal Wallplates.
 All devices are UL Listed and CSA Certified.

Midway

Midway Size Nylon Wallplates

DESCRIPTION	COLOR	CAT. NO.	IND. NO.
1-GANG 1-Toggle 	IVORY	PJ1-I	_____
	BLACK	PJ1-E	_____
	GRAY	PJ1-GY	_____
	WHITE	PJ1-W	_____
	BROWN	PJ1	_____
	ALMOND	PJ1-A	_____
2-GANG 2-Toggle 	IVORY	PJ2-I	_____
	BLACK	PJ2-E	_____
	GRAY	PJ2-GY	_____
	WHITE	PJ2-W	_____
	BROWN	PJ2	_____
	ALMOND	PJ2-A	_____
3-GANG 3-Toggle 	IVORY	PJ3-I	_____
	BLACK	PJ3-E	_____
	GRAY	PJ3-GY	_____
	WHITE	PJ3-W	_____
	BROWN	PJ3	_____
	ALMOND	PJ3-A	_____
4-GANG 4-Toggle 	IVORY	PJ4-I	_____
	BLACK	PJ4-E	_____
	WHITE	PJ4-W	_____
	ALMOND	PJ4-A	_____


See page G26 for Engraved Metal Wallplates.
 All devices are UL Listed and CSA Certified.

For more information regarding matching wallplates, colors, materials, single and multi-gang, refer to Decora Devices, Section A, and Decora Home Controls, Section B.


Midway Wallplates

All Leviton Midway wallplates can be mounted onto larger volume outlet boxes and/or used to hide wall irregularities. All 1-Gang Midway wallplates are 4.875" H x 3.125" W. Midway wallplates are a full 0.375" higher and wider than standard wallplates.

Standard Size




Midway Size




Midway Wallplates

All Leviton Midway wallplates can be mounted onto larger volume outlet boxes and/or used to hide wall irregularities. All 1-Gang Midway wallplates are 4.875" H x 3.125" W. Midway wallplates are a full 0.375" higher and wider than standard wallplates.

Standard Size









Midway Size



Midway

Midway Size Nylon Wallplates

DESCRIPTION	COLOR	CAT. NO.	IND. NO.	
1-GANG 1-Duplex 	IVORY	PJ8-I	_____	
	BLACK	PJ8-E	_____	
	GRAY	PJ8-GY	_____	
	RED	PJ8-R	_____	
	WHITE	PJ8-W	_____	
	BROWN	PJ8	_____	
	ALMOND	PJ8-A	_____	
	BLUE	PJ8-BU	_____	
	ORANGE*	PJ8-IG	_____	
	RED**	PJ8-RE	_____	
2-GANG 2-Duplex 	IVORY	PJ82-I	_____	
	BLACK	PJ82-E	_____	
	GRAY	PJ82-GY	_____	
	RED	PJ82-R	_____	
	WHITE	PJ82-W	_____	
	BROWN	PJ82	_____	
	ALMOND	PJ82-A	_____	
	RED**	PJ82-RE	_____	
1-GANG 1-Decora 	IVORY	PJ26-I	_____	
	BLACK	PJ26-E	_____	
	GRAY	PJ26-GY	_____	
	WHITE	PJ26-W	_____	
	BROWN	PJ26	_____	
	ALMOND	PJ26-A	_____	
	BLUE	PJ26-BU	_____	
	2-GANG 2-Decora 	IVORY	PJ262-I	_____
BLACK		PJ262-E	_____	
GRAY		PJ262-GY	_____	
RED		PJ262-R	_____	
WHITE		PJ262-W	_____	
BROWN		PJ262	_____	
ALMOND		PJ262-A	_____	
3-GANG 3-Decora 	IVORY	PJ263-I	_____	
	WHITE	PJ263-W	_____	
	ALMOND	PJ263-A	_____	
	GRAY	PJ263-GY	_____	
4-GANG 4-Decora 	IVORY	PJ264-I	_____	
	GRAY	PJ264-GY	_____	
	WHITE	PJ264-W	_____	
	ALMOND	PJ264-A	_____	
1-GANG 1-Single Receptacle 1.406" dia. Hole 	IVORY	PJ7-I	_____	
	RED	PJ7-R	_____	
	WHITE	PJ7-W	_____	
	BROWN	PJ7	_____	
	ALMOND	PJ7-A	_____	

*Isolated Ground

**Emergency







See page G26 for Engraved Metal Wallplates.

All devices are UL Listed and CSA Certified.


For more information regarding matching wallplates, colors, materials, single and multi-gang, refer to Decora Devices, Section A, and Decora Home Controls, Section B.

Midway

Midway Size Nylon Wallplates

DESCRIPTION		COLOR	CAT. NO.	IND. NO.
1-GANG 1-Blank Box Mount		IVORY	PJ13-I	—
		BLACK	PJ13-E	—
		GRAY	PJ13-GY	—
		RED	PJ13-R	—
		WHITE	PJ13-W	—
		BROWN	PJ13	—
		ALMOND	PJ13-A	—
2-GANG 2-Blank Box Mount		IVORY	PJ23-I	—
		BLACK	PJ23-E	—
		GRAY	PJ23-GY	—
		WHITE	PJ23-W	—
		ALMOND	PJ23-A	—
1-GANG 1-Telephone .406" dia. Hole, Box Mount		IVORY	PJ11-I	—
		BLACK	PJ11-E	—
		GRAY	PJ11-GY	—
		WHITE	PJ11-W	—
		ALMOND	PJ11-A	—
2-GANG 1-Toggle, 1-Duplex		IVORY	PJ18-I	—
		BLACK	PJ18-E	—
		GRAY	PJ18-GY	—
		WHITE	PJ18-W	—
		ALMOND	PJ18-A	—
2-GANG 1-Toggle 1-Decora		IVORY	PJ126-I	—
		WHITE	PJ126-W	—
		BROWN	PJ126	—
		ALMOND	PJ126-A	—
3-GANG 2-Toggle 1-Decora		IVORY	PJ226-I	—
		WHITE	PJ226-W	—
		BROWN	PJ226	—
		ALMOND	PJ226-A	—
2-GANG 1-Decora 1-Duplex		IVORY	PJ826-I	SPJ826-I
		WHITE	PJ826-W	SPJ826-W
		BROWN	PJ826	—
		ALMOND	PJ826-A	—

Midway Size Nylon Wallplates — Power Receptacle


1-GANG 2.465" dia. Hole, Power Receptacle 30 & 50 Amp		IVORY	80532-I	—
		WHITE	80532-W	—
		BLACK	80532-E	—

See page G26 for Engraved Metal Wallplates.
All devices are UL Listed and CSA Certified.


Midway Wallplates

All Leviton Midway wallplates can be mounted onto larger volume outlet boxes and/or used to hide wall irregularities. All 1-Gang Midway wallplates are 4.875" H x 3.125" W. Midway wallplates are a full 0.375" higher and wider than standard wallplates.

Standard Size



Midway Size



For more information regarding matching wallplates, colors, materials, single and multi-gang, refer to Decora Devices, Section A, and Decora Home Controls, Section B.