



Pan-Code® Self-Laminating Label

S100X150VETY

The thermal transfer self-laminating adhesive label is made of vinyl and is supplied on a roll with 4 labels per row. The label has a gray colored print-on area 0.5" (12.7 mm) high for Category 5e UTP, Category 6 UTP, Category 6e UTP, Category 5e FTP, 10 - 6 AWG wires, and a clear overlamine. It is 1.0" wide and 1.5" long (25.4 x 38.1 mm) with a 3.0" (76.2mm) core. It comes in packages of 5000.

 **Discontinued - Limited Stock**

Suggested Replacement Parts: S100X150VATY

Note: It is the buyer's responsibility to determine if the suggested replacement part is suitable for your application and intended use.

Specifications

Product Type	Self-Laminating Label
Cable Type	Category 5e UTP;Category 6 UTP;Category 6A UTP; Category 5e FTP
Color	Gray
Material	Vinyl
Printer Type	Thermal Transfer
Standards Met	RoHS Compliant, UL969 recognized, File # MH14979; cUL recognized, C22.2 No. 0.15-01, File # MH14979
Sub Brand	Pan-Code®
Compatible Wire Gauge (AWG)	10 – 6
Maximum Cable Diameter (In.)	0.32
Maximum Cable Diameter (mm)	8.1
Minimum Cable Diameter (In.)	0.16
Minimum Cable Diameter (mm)	4.1
Maximum Operating Temperature (°C)	65
Maximum Operating Temperature (°F)	150
Minimum Operating Temperature (°C)	-40
Minimum Operating Temperature (°F)	-40
Number of Labels	5000
Overall Length (In.)	1.5
Overall Length (mm)	38.1
Overall Width (In.)	1
Overall Width (mm)	25.4

Specifications (continued)

Print-On Area Height (In.)	0.5
Print-On Area Height (mm)	12.7
Label Application	Cable & Wire Marking
Label Property	Flammability

Packaging Detail

UPC	07498368003
Std. Pkg. Qty.	5000
Std. Pkg. Volume (cf)	0.7439
Std. Ctn. Qty.	0
Std. Ctn. Volume (cf)	0.0000