


## Marker for terminal blocks - ZB10,LGS:L1-N,PE - 1053412

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Marker for terminal blocks, Strip, white, labeled, can be labeled with: CMS-P1-PLOTTER, horizontal: L1, L2, L3, N, PE, L1, L2, L3, N, PE, mounting type: snap into tall marker groove, for terminal block width: 10.2 mm, lettering field size: 10.15 x 10.5 mm, Number of individual labels: 10

### Your advantages

- ✔ Labeling service: Phoenix Contact can custom-label all zack marker strip markers according to your requirements
- ✔ The ZB zack marker strip system is a marking solution for modular terminal blocks and electronics modules with tall marker grooves



### Key Commercial Data

|                                      |   |
|--------------------------------------|---|
| Packing unit                         | 1 pc  |
| Minimum order quantity               | 10 pc   |
| GTIN                                 | <br>4 017918 016883 |
| GTIN                                 | 4017918016883   |
| Weight per Piece (excluding packing) | 2.460 g   |
| Custom tariff number                 | 49119900  |
| Country of origin                    | Germany   |

### Technical data

#### Dimensions

|           |       |
|-----------|-------|
| Width (a) | 10 mm |
|-----------|-------|

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 100 °C |
|---------------------------------|-------------------|

#### General

|       |   |
|-------|---|
| Note  | 10 identically marked strips make up one packing unit (PU). |
| Color | white   |

# Marker for terminal blocks - ZB10,LGS:L1-N,PE - 1053412

## Technical data

### General


|                                     |                                      |
|-------------------------------------|--------------------------------------|
| Type                                | high                                 |
| Components                          | free from silicone and halogen       |
| Material                            | PA                                   |
| Wipe resistance                     | DIN EN 61010-1 (VDE 0411-1)          |
| Printing direction                  | horizontal                           |
| Printing                            | L1, L2, L3, N, PE, L1, L2, L3, N, PE |
| Number of individual labels         | 10                                   |
| Number of individual labels per row | 10                                   |
| Number of marker strips             | 10                                   |
| Marking mounting type               | snap into tall marker groove         |

### Standards and Regulations

|  |    |
|--|----|
| Flammability rating according to UL 94 | V2 |
|--|----|

## Drawings

Schematic diagram



## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27141137 |
| eCl@ss 11.0   | 27281101 |
| eCl@ss 4.0    | 24190200 |
| eCl@ss 4.1    | 24190200 |
| eCl@ss 5.0    | 27141100 |
| eCl@ss 5.1    | 27141100 |
| eCl@ss 6.0    | 27141100 |
| eCl@ss 7.0    | 27141137 |

## Marker for terminal blocks - ZB10,LGS:L1-N,PE - 1053412

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 9.0 | 27141137 |
|------------|----------|

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000761 |
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 6.0 | EC000761 |
| ETIM 7.0 | EC000761 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39131505 |
| UNSPSC 18.0   | 39131505 |
| UNSPSC 19.0   | 39131505 |
| UNSPSC 20.0   | 39131505 |
| UNSPSC 21.0   | 39131505 |