

Rail adapters - USA 10/4,6 - 1202713

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Rail adapters, for M5 screws, length: 42.6 mm, width: 10 mm, height: 19 mm, color: gray



Your advantages

- ✓ The universal adapters are used to secure and hold electrical or electronic switching devices
- ✓ They allow fully insulated mounting of components or DIN rails

RoHS

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	25 pc
GTIN	 4 017918 018009
GTIN	4017918018009
Weight per Piece (excluding packing)	3.260 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

Dimensions

Height	19 mm
Length	42.6 mm
Width	10 mm

General

Material	PA
Coating	uncoated

Rail adapters - USA 10/4,6 - 1202713

Technical data

General

Color	gray
-------	------

Standards and Regulations


Flammability rating according to UL 94	V2
--	----

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



Rail adapters - USA 10/4,6 - 1202713

Classifications

eCl@ss

eCl@ss 10.0.1	27370419
eCl@ss 4.0	27141100
eCl@ss 4.1	27141100
eCl@ss 5.0	27370400
eCl@ss 5.1	27370400
eCl@ss 6.0	27370400
eCl@ss 7.0	27370419
eCl@ss 8.0	27370419
eCl@ss 9.0	27370419

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC001024
ETIM 5.0	EC001024
ETIM 6.0	EC001024
ETIM 7.0	EC001024

UNSPSC

UNSPSC 6.01	30211802
UNSPSC 7.0901	39121402
UNSPSC 11	39121402
UNSPSC 12.01	39121402
UNSPSC 13.2	39131504
UNSPSC 18.0	39121708
UNSPSC 19.0	39121708
UNSPSC 20.0	39121708
UNSPSC 21.0	39121708

Approvals

Approvals

Approvals

EAC

Ex Approvals

Rail adapters - USA 10/4,6 - 1202713

Approvals

Approval details

EAC		EAC-Zulassung
-----	---	---------------