

End clamp - E/MBK - 1401637

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



End clamp, width: 6.2 mm, color: gray

Your advantages

- ✓ Can be screwed onto NS 15 DIN rails
- ✓ Can be mounted directly on the mounting plate as an MBK terminal block base
- ✓ Large-surface labeling

RoHS

Key Commercial Data

Packing unit	1 pc
Minimum order quantity	100 pc
GTIN	 4 017918 020484
GTIN	4017918020484
Weight per Piece (excluding packing)	1.690 g
Custom tariff number	39269097
Country of origin	Poland

Technical data

Dimensions

Height	11.4 mm
Length	22 mm
Width	6.2 mm

General

Material	PA
----------	----

End clamp - E/MBK - 1401637

Technical data

General

Coating	3.2 mm fixing hole
Color	gray
Tightening torque, min	0.4 Nm
Tightening torque max	0.5 Nm

Standards and Regulations

Flammability rating according to UL 94	V2
--	----


Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

End clamp - E/MBK - 1401637

Dimensional drawing



Classifications

eCl@ss

eCl@ss 10.0.1	27141135
eCl@ss 4.0	27141100
eCl@ss 4.1	27141100
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27141100
eCl@ss 7.0	27141135

End clamp - E/MBK - 1401637

Classifications

eCl@ss

eCl@ss 8.0	27141135
eCl@ss 9.0	27141135

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC001041
ETIM 4.0	EC001041
ETIM 5.0	EC001041
ETIM 6.0	EC001041
ETIM 7.0	EC001041

UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121425
UNSPSC 18.0	39121425
UNSPSC 19.0	39121425
UNSPSC 20.0	39121425
UNSPSC 21.0	39121425