

Coding element - HC-CBU-MOD - 1636130

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Coding socket for coding up to 16 connectors, for HC Modular



COMPLETE

Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	 4 017918 969400
GTIN	4017918969400
Weight per Piece (excluding packing)	2.560 g
Custom tariff number	73181595
Country of origin	China

Technical data

Dimensions

Length	24.3 mm
Width	6.5 mm
Height	6.5 mm

General

Material	Steel, galvanized
Color	silver
Note	Prevents most cases of the connector being inserted at an angle


Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Coding element - HC-CBU-MOD - 1636130


Drawings

Dimensional drawing



Dimensional drawing


Circuit diagram



Coding for housings with two contact inserts

Coding element - HC-CBU-MOD - 1636130

Circuit diagram



Coding for housings with one contact insert

Classifications

eCl@ss

eCl@ss 4.0	27140800
eCl@ss 4.1	27140800
eCl@ss 5.0	27143400
eCl@ss 5.1	27143400
eCl@ss 6.0	27269200
eCl@ss 7.0	27440203
eCl@ss 8.0	27440203
eCl@ss 9.0	27440203

ETIM

ETIM 2.0	EC001121
ETIM 3.0	EC001121
ETIM 4.0	EC002498
ETIM 5.0	EC002311
ETIM 6.0	EC002311
ETIM 7.0	EC002311

UNSPSC

UNSPSC 6.01	30211817
UNSPSC 7.0901	39121416

Coding element - HC-CBU-MOD - 1636130

Classifications

UNSPSC

UNSPSC 11	43172601
UNSPSC 12.01	39121522
UNSPSC 13.2	27112301