

## Cable gland - HC-M-KV-M32(19-27) - 1646010

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Metal screw connection up to 5 bar, thread length: 8 mm, cable diameter: 19 - 27 mm, WAF 43, screw connection: M32

### Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 941253
GTIN	4017918941253
Weight per Piece (excluding packing)	131.170 g
Custom tariff number	74199990
Country of origin	Germany

### Technical data

#### Dimensions

Length	41 mm
Wrench size, union nut	43 mm
Wrench size, support	43 mm
Hexagon angular dimension	46 mm
Length of the connecting thread	8 mm
Feed-through hole diameter	32.1 mm ... 32.3 mm
External cable diameter	19 mm ... 27 mm

#### Ambient conditions

Degree of protection (IP)	IP68 (up to 5 bar)
Ambient temperature (operation)	-30 °C ... 100 °C

# Cable gland - HC-M-KV-M32(19-27) - 1646010

## Technical data

### General

No. of conductors	1
Cable gland material	Nickel-plated brass
Material, insert	PA
Cable seal material	CR/NBR
Sealing material	NBR (O-ring)
Shielded	no
Thread type on connection side	M32 x 1.5
Torque	15 Nm (Union nut) 15 Nm (Support sleeve)
Color	silver

### Standards and Regulations


Halogen-free	no
--------------	----

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings

Dimensional drawing



Dimensional drawing

## Classifications

eCl@ss

eCl@ss 10.0.1	27144432
eCl@ss 11.0	27144432
eCl@ss 4.0	27141200

# Cable gland - HC-M-KV-M32(19-27) - 1646010

## Classifications

### eCl@ss

eCl@ss 4.1	27141200
eCl@ss 5.0	27149100
eCl@ss 5.1	27149100
eCl@ss 6.0	27149100
eCl@ss 7.0	27149109
eCl@ss 9.0	27144432

### ETIM

ETIM 2.0	EC000441
ETIM 3.0	EC000441
ETIM 4.0	EC000441
ETIM 6.0	EC000441
ETIM 7.0	EC000441

### UNSPSC

UNSPSC 6.01	30211808
UNSPSC 7.0901	39121408
UNSPSC 11	39121408
UNSPSC 12.01	39121408
UNSPSC 13.2	39121311
UNSPSC 18.0	39121311
UNSPSC 19.0	39121311
UNSPSC 20.0	39121311
UNSPSC 21.0	39121311

## Accessories

### Accessories

#### Flat nut

Counter nut - A-INL-M32-N-S - 1411244

Counter nut, material: Brass, nickel-plated, for threads M32 x 1.5, color: silver



---

### Sealing plugs

## Cable gland - HC-M-KV-M32(19-27) - 1646010

### Accessories

Closing cap - SEALING PLUG 25X30 RD - 1421863



Closing cap, material: PA, color: red