

Insulating sleeve - PT/FS 4,8 - 1670497


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Insulating sleeve, as touch protection, for 4.8 mm slip-on sleeves, slide onto the conductor before



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	25 pc
GTIN	 4 017918 153229
GTIN	4017918153229
Weight per Piece (excluding packing)	0.380 g
Custom tariff number	85472000
Country of origin	Germany

Technical data

General

Color	transparent
-------	-------------

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Insulating sleeve - PT/FS 4,8 - 1670497

Classifications

eCl@ss

eCl@ss 10.0.1	27440192
eCl@ss 11.0	27440192
eCl@ss 4.0	27141100
eCl@ss 4.1	27141100
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27141100
eCl@ss 7.0	27141190
eCl@ss 9.0	27440192

ETIM

ETIM 2.0	EC000516
ETIM 3.0	EC000516
ETIM 4.0	EC000448
ETIM 6.0	EC002848
ETIM 7.0	EC002848

UNSPSC

UNSPSC 6.01	31251501
UNSPSC 7.0901	31251501
UNSPSC 11	31251501
UNSPSC 12.01	31251501
UNSPSC 13.2	39121410
UNSPSC 18.0	39121421
UNSPSC 19.0	39121421
UNSPSC 20.0	39121421
UNSPSC 21.0	39121421

Accessories

Accessories

Connector

Connector - C-SCF 1,5/4,8X0,5 - 3240154



Slip-on sleeve, non-insulated, 0.75 ... 1.5 mm², 4.8 x 0.5

Insulating sleeve - PT/FS 4,8 - 1670497

Accessories

Connector - C-SCF 1,5/4,8X0,8 - 3240155



Slip-on sleeve, non-insulated, 0.75 ... 1.5 mm², 4.8 x 0.8

Connector - C-SCF 2,5/4,8X0,5 - 3240157



Slip-on sleeve, non-insulated, 1.5 ... 2.5 mm², 4.8 x 0.5

Connector - C-SCF 2,5/4,8X0,8 - 3240158



Slip-on sleeve, non-insulated, 1.5 ... 2.5 mm², 4.8 x 0.8
