

Warning label - WS UT 4 - 3047332

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Warning sign for UT terminal blocks



Your advantages

- Can be isolated lengthwise and crosswise
- Accidental actuation of the terminal points is prevented
- Warning labels and warning covers serve to cover and identify mains terminal blocks
- The warning labels snap into the screw and actuation shafts of the relevant terminal block



Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| Minimum order quantity | 10 pc |
| GTIN |  4 046356 072816 |
| GTIN | 4046356072816 |
| Weight per Piece (excluding packing) | 1.270 g |
| Custom tariff number | 49119900 |
| Country of origin | Poland |

Technical data

Dimensions

| | |
|------------|---------|
| Length (b) | 25.2 mm |
| Width (a) | 6.15 mm |
| Height (c) | 25.2 mm |
| Diameter | 0.00 mm |

Warning label - WS UT 4 - 3047332

Technical data

Ambient conditions

| | |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -60 °C ... 130 °C |
|---------------------------------|-------------------|

General

| | |
|-----------------------|--------------------------------|
| Color | yellow/black |
| Type | Rectangle |
| Components | free from silicone and halogen |
| Material | PA |
| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
| Printing | Lightning flash |
| Marking mounting type | screw, rivet |

Standards and Regulations

| | |
|--|----|
| Flammability rating according to UL 94 | V0 |
|--|----|

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 40200202 |
| eCl@ss 11.0 | 40200202 |
| eCl@ss 4.0 | 40200100 |
| eCl@ss 4.1 | 40200100 |
| eCl@ss 5.0 | 40200100 |
| eCl@ss 5.1 | 27141100 |
| eCl@ss 6.0 | 40200100 |
| eCl@ss 7.0 | 40200103 |
| eCl@ss 9.0 | 40200202 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC000761 |
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 6.0 | EC001777 |
| ETIM 7.0 | EC001777 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11 | 39121410 |
| UNSPSC 12.01 | 39121410 |

Warning label - WS UT 4 - 3047332

Classifications

UNSPSC

| | |
|-------------|----------|
| UNSPSC 13.2 | 55121718 |
| UNSPSC 18.0 | 55121718 |
| UNSPSC 19.0 | 55121718 |
| UNSPSC 20.0 | 55121718 |
| UNSPSC 21.0 | 55121718 |