

Assembly adapters - APK-HP 2 METER - 5022818

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Holding profile, snaps into the cover holder APK-TU, with groove for Zack strip ZB 5 to ZB 10, length: 2 m

Your advantages

- ✓ Can be labeled
- ✓ Protection against environmental influences
- ✓ Protection against accidental actuation of terminal points or disconnect terminal blocks
- ✓ Covering of live parts

RoHS

Key Commercial Data

Packing unit	1 M
Minimum order quantity	2 M
GTIN	 4 017918 095314
GTIN	4017918095314
Weight per Piece (excluding packing)	235.000 g
Custom tariff number	39162000
Country of origin	Germany

Technical data

Dimensions

Length (b)	2000 mm
Width (a)	27 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 115 °C
---------------------------------	-------------------

Assembly adapters - APK-HP 2 METER - 5022818

Technical data

General

Color	gray
Components	free from silicone and halogen
Material	PA

Standards and Regulations

Flammability rating according to UL 94	V2
--	----

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1	27141133
eCl@ss 11.0	27141133
eCl@ss 4.0	27141100
eCl@ss 4.1	27141100
eCl@ss 5.0	27141100
eCl@ss 5.1	27141100
eCl@ss 6.0	27141100
eCl@ss 7.0	27141190
eCl@ss 9.0	27141133

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC002498
ETIM 6.0	EC000886
ETIM 7.0	EC000886

UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121425
UNSPSC 18.0	39121425
UNSPSC 19.0	39121425

Assembly adapters - APK-HP 2 METER - 5022818

Classifications

UNSPSC

UNSPSC 20.0	39121425
UNSPSC 21.0	39121425