

Contact removal tool - UNIFOX RT-CK 2.5



1072067

<https://www.phoenixcontact.com/us/products/1072067>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Contact removal tool, for turned CK 2,5... contacts

Your advantages

- Made from special high-grade tool steel
- Safe transport and protection of the tool by integrated plastic bracket

Commercial Data

Item number	1072067
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	B14
Product Key	BH3171
Catalog Page	Page 398 (C-3-2019)
GTIN	4055626760063
Weight per Piece (including packing)	41 g
Weight per Piece (excluding packing)	41 g
Customs tariff number	82032000
Country of origin	DE

Contact removal tool - UNIFOX RT-CK 2.5



1072067

<https://www.phoenixcontact.com/us/products/1072067>

Technical Data

Notes

General	for contact inserts HC-BB.../ HC-Q05.../ HC-COM8.../ HC-A 10-E...C / HC-A 16-E...C / HC-K 8/24-E...C / HC-M-06.../ HC-M-08.../HC-M-20...
---------	--

Product properties

Product type	Universal tools
--------------	-----------------

Dimensions

Width	26.8 mm
Height	26.8 mm
Length	142 mm

Mounting

Assembly instructions	The unlocking tool must be introduced in the connection side of the contact insert in the crimp chamber to unlock the crimp contact.
-----------------------	--

Contact removal tool - UNIFOX RT-CK 2.5



1072067

<https://www.phoenixcontact.com/us/products/1072067>

Approvals



EAC

Approval ID: RU x-DE.xx08.B.02974

Contact removal tool - UNIFOX RT-CK 2.5



1072067

<https://www.phoenixcontact.com/us/products/1072067>

Classifications

ECLASS

ECLASS-9.0	27379217
ECLASS-11.0	27440192

ETIM

ETIM 8.0	EC002943
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com