

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Stripping and crimping device, 120 V version, for taped insulated ferrules 0.25 ... 2.5 mm², sleeve length 8 mm, incl. conversion kits 0.5 ... 2.5 mm²

Your advantages

- Particularly suitable for pre-assembling conductors
- Suitable for class 2 and class 5 PVC conductors (H05V-K/H07V-K).
Conductors with special insulating material and stranding can only be processed to a limited degree and with reservations.
- The conductor is stripped in a single step and crimped with a ferrule to a high standard of quality
- The compact stripping and crimping machine can be used to process taped ferrules with insulating collars according to DIN 46228-4
- Color coding according to ferrule standard DIN 46228-4 makes the assignment of modification components really clear
- The automatic device can be adapted to various cross sections in under a minute
- Thanks to its compact and lightweight design, it can also be used as a portable solution for transport between different work locations
- Up to 1200 conductors can be processed an hour

Commercial Data

Item number	1205516
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	B15
Product Key	BH3231
Catalog Page	Page 438 (C-3-2019)
GTIN	4017918129125
Weight per Piece (including packing)	15,710 g
Weight per Piece (excluding packing)	15,710 g
Customs tariff number	84798100
Country of origin	DE

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Technical Data

Product properties

Product type	Crimping machine
Compression	trapezoidal
Conductor type	PVC
Insertion length minimum	49 mm
Min. cross section	0.25 mm ²
Max. cross section	2.5 mm ²
AWG min	24
AWG max	14

Electrical properties

Frequency range	60 Hz
Power consumption	80 W
Nominal voltage U _N	120 V

Supply

Supply voltage	120 V AC
Supply voltage range	120 V

Connection data

Conductor connection

Cross section range, metric	0.25 mm ² ... 2.5 mm ²
Cross section range AWG	24 ... 14
Stripping length	11.5 mm

Dimensions

Width	165 mm
Height	300 mm
Length	320 mm

Standards and regulations

Tests	DIN 46228-4: 1990-09
-------	----------------------

Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>



Approvals



EAC

Approval ID: RU C-DE.AI30.B.01549

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Classifications

ECLASS

ECLASS-9.0	17130101
ECLASS-11.0	17130101
ECLASS-10.0.1	17130101

ETIM

ETIM 8.0	EC002778
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 25;
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>


Accessories

Conversion kit

Conversion kit - CF 3000-TOOLKIT 0,25 - 1212376

<https://www.phoenixcontact.com/us/products/1212376>

Extension kit, complete, for CF 3000, for taped insulated ferrules, 0.25/0.34 mm², sleeve length 8 mm



Spare locator

Spare locator - CF 3000 LOC 0,25 - 1212377

<https://www.phoenixcontact.com/us/products/1212377>

Sleeve receiver for CF 3000-TOOLKIT 0,25



Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>

Spare locator

Spare locator - CF 3000 LOC 0,5 - 1205639

<https://www.phoenixcontact.com/us/products/1205639>



Sleeve receiver for 0.5 mm² sleeves

Spare locator

Spare locator - CF 3000 LOC 0,75 - 1205642

<https://www.phoenixcontact.com/us/products/1205642>



Sleeve receiver for 0.75 mm² sleeves

Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>

Spare locator

Spare locator - CF 3000 LOC 1,0 - 1205655

<https://www.phoenixcontact.com/us/products/1205655>



Sleeve receiver for 1.0 mm² sleeves

Spare locator

Spare locator - CF 3000 LOC 1,5 - 1205668

<https://www.phoenixcontact.com/us/products/1205668>



Sleeve receiver for 1.5 mm² sleeves

Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>

Spare locator

Spare locator - CF 3000 LOC 2,5 - 1205671

<https://www.phoenixcontact.com/us/products/1205671>




Sleeve receiver for 2.5 mm² sleeves

Accessories

Accessories - CF 3000 AB 0,25 - 1212380

<https://www.phoenixcontact.com/us/products/1212380>



Replacement stripping blade, for CF 3000-TOOLKIT 0,25

Electrical crimping tool - CF 3000-2,5 120V



1205516


<https://www.phoenixcontact.com/us/products/1205516>

Spare knife

Spare knife - CF 3000 AM 0,5 - 1205587

<https://www.phoenixcontact.com/us/products/1205587>

Replacement knife for the automatic stripping and crimping device CF 3000-2,5




Spare knife

Spare knife - CF 3000 AM 0,75 - 1205590

<https://www.phoenixcontact.com/us/products/1205590>

Replacement knife for the automatic stripping and crimping device CF 3000-2,5



Electrical crimping tool - CF 3000-2,5 120V



1205516


<https://www.phoenixcontact.com/us/products/1205516>

Spare knife

Spare knife - CF 3000 AM 1,0 - 1205600

<https://www.phoenixcontact.com/us/products/1205600>

Replacement knife for the automatic stripping and crimping device CF 3000-2,5




Spare knife

Spare knife - CF 3000 AM 1,5 - 1205613

<https://www.phoenixcontact.com/us/products/1205613>

Replacement knife for the automatic stripping and crimping device CF 3000-2,5



Electrical crimping tool - CF 3000-2,5 120V



1205516


<https://www.phoenixcontact.com/us/products/1205516>

Spare knife

Spare knife - CF 3000 AM 2,5 - 1205626

<https://www.phoenixcontact.com/us/products/1205626>

Replacement knife for the automatic stripping and crimping device CF 3000-2,5




Accessories

Accessories - CF 3000 AB 0,5 - 1207886

<https://www.phoenixcontact.com/us/products/1207886>

Adjustable spare stripping knife, 0.5 mm², for crimping machine CF 3000



Electrical crimping tool - CF 3000-2,5 120V


1205516

<https://www.phoenixcontact.com/us/products/1205516>

Accessories

Accessories - CF 3000 AB 0,75 - 1207899

<https://www.phoenixcontact.com/us/products/1207899>




Adjustable spare stripping knife, 0.75 mm², for crimping machine CF 3000

Accessories

Accessories - CF 3000 AB 1,0 - 1207909

<https://www.phoenixcontact.com/us/products/1207909>



Adjustable spare stripping knife, 1.0 mm², for crimping machine CF 3000

Electrical crimping tool - CF 3000-2,5 120V




1205516

<https://www.phoenixcontact.com/us/products/1205516>

Accessories

Accessories - CF 3000 AB 1,5 - 1207912

<https://www.phoenixcontact.com/us/products/1207912>




Replacement stripping knives 1.5 mm², for crimp automat CF 3000

Accessories

Accessories - CF 3000 AB 2,5 - 1207925

<https://www.phoenixcontact.com/us/products/1207925>



Adjustable spare stripping knife, 2.5 mm², for crimping machine CF 3000

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 BBE 0,5 - 1205752

<https://www.phoenixcontact.com/us/products/1205752>



Replacement processing insert 0.5 mm², for the crimping device CF 3000-2,5

Replacement part

Replacement part - CF 3000 BBE 0,75 - 1205765

<https://www.phoenixcontact.com/us/products/1205765>



Replacement processing insert 0.75 mm², for the crimping device CF 3000-2,5

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 BBE 1,0 - 1205778

<https://www.phoenixcontact.com/us/products/1205778>



Replacement processing insert 1.0 mm², for the crimping device CF 3000-2,5

Replacement part

Replacement part - CF 3000 BBE 1,5 - 1205781

<https://www.phoenixcontact.com/us/products/1205781>



Replacement processing insert 1.5 mm², for the crimping device CF 3000-2,5

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 BBE 2,5 - 1205794

<https://www.phoenixcontact.com/us/products/1205794>



Replacement processing insert 2.5 mm², for the crimping device CF 3000-2,5

Replacement part

Replacement part - CF 3000 BBE-AME 0,25 - 1207514

<https://www.phoenixcontact.com/us/products/1207514>



Replacement processing insert, for CF 3000-TOOLKIT 0,25, with adjustable blade

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 BBE-AME 0,5 - 1207488

<https://www.phoenixcontact.com/us/products/1207488>



Replacement processing insert 0.5 mm², for the crimping device CF 3000-2,5

Replacement part

Replacement part - CF 3000 BBE-AME 0,75 - 1207475

<https://www.phoenixcontact.com/us/products/1207475>



Replacement processing insert 0.75 mm², for the crimping device CF 3000-2,5

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 BBE-AME 1,0 - 1207491

<https://www.phoenixcontact.com/us/products/1207491>



Replacement processing insert 1.0 mm², for the crimping device CF 3000-2,5

Replacement part

Replacement part - CF 3000 BBE-AME 1,5 - 1207501

<https://www.phoenixcontact.com/us/products/1207501>



Replacement processing insert 1.5 mm², for the crimping device CF 3000-2,5

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 BBE-AME 2,5 - 1207527

<https://www.phoenixcontact.com/us/products/1207527>



Replacement processing insert 2.5 mm², for the crimping device CF 3000-2,5

Replacement die

Replacement die - CF 3000 CDF 0,25 - 1212389

<https://www.phoenixcontact.com/us/products/1212389>



Replacement crimping die, for CF 3000-TOOLKIT 0,25 (0.25 to 0.75 mm²)

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement die

Replacement die - CF 3000 CDM 0,25 - 1212390

<https://www.phoenixcontact.com/us/products/1212390>

Replacement crimping stamp, for CF 3000-TOOLKIT 0,25 (0.25 to 0.75 mm²)



Replacement part

Replacement part - CF 3000 CFB 0,25 - 1212392

<https://www.phoenixcontact.com/us/products/1212392>

Replacement centering fork (bottom), for CF 3000-TOOLKIT 0,25



Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>



Replacement part

Replacement part - CF 3000 CFT 0,25 - 1212391

<https://www.phoenixcontact.com/us/products/1212391>

Replacement centering fork (top), for CF 3000-TOOLKIT 0,25



Replacement part

Replacement part - CF 3000 CG 0,25 - 1212379

<https://www.phoenixcontact.com/us/products/1212379>

Replacement cable routing, for CF 3000-TOOLKIT 0,25



Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 CG 0,5 - 1207721

<https://www.phoenixcontact.com/us/products/1207721>



Replacement cable guide 0.5 mm², for sleeve feed CF 3000 HZG 0,5

Replacement part

Replacement part - CF 3000 CG 0,75 - 1207734

<https://www.phoenixcontact.com/us/products/1207734>



Replacement cable guide 0,75 mm², for sleeve feed CF 3000 HZG 0,75

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 CG 1,0 - 1207747

<https://www.phoenixcontact.com/us/products/1207747>

Replacement cable guide 1.0 mm², for sleeve feed CF 3000 HZG 1,0



Replacement part

Replacement part - CF 3000 CG 1,5 - 1207750

<https://www.phoenixcontact.com/us/products/1207750>

Replacement cable guide 1.5 mm², for sleeve feed CF 3000 HZG 1,5



Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 CG 2,5 - 1207763

<https://www.phoenixcontact.com/us/products/1207763>

Replacement cable guide 2.5 mm², for sleeve feed CF 3000 HZG 2,5



Replacement die

Replacement die - CF 3000 CRIMPGESENK - 3202779

<https://www.phoenixcontact.com/us/products/3202779>

Replacement crimping die, for the crimping device CF 3000-2,5



Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>




Replacement die

Replacement die - CF 3000 CRIMPSTEMPEL - 3202782

<https://www.phoenixcontact.com/us/products/3202782>

Replacement crimping stamp, for the crimping device CF 3000-2,5



Covering hood

Covering hood - CF 3000 HAUBE - 3202614

<https://www.phoenixcontact.com/us/products/3202614>

Replacement hood, for the crimping device CF 3000-2,5



Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement sleeve feed

Replacement sleeve feed - CF 3000 HZG 0,25 - 1212378

<https://www.phoenixcontact.com/us/products/1212378>



Replacement sleeve feed, for CF 3000-TOOLKIT 0,25

Replacement sleeve feed

Replacement sleeve feed - CF 3000 HZG 0,5 - 1205684

<https://www.phoenixcontact.com/us/products/1205684>



Replacement sleeve feed, for the crimping device CF 3000-2,5

Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>



Replacement sleeve feed

Replacement sleeve feed - CF 3000 HZG 0,75 - 1205697

<https://www.phoenixcontact.com/us/products/1205697>



Replacement sleeve feed, for the crimping device CF 3000-2,5

Replacement sleeve feed

Replacement sleeve feed - CF 3000 HZG 1,0 - 1205707

<https://www.phoenixcontact.com/us/products/1205707>



Replacement sleeve feed, for the crimping device CF 3000-2,5

Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement sleeve feed

Replacement sleeve feed - CF 3000 HZG 1,5 - 1205710

<https://www.phoenixcontact.com/us/products/1205710>



Replacement sleeve feed, for the crimping device CF 3000-2,5

Replacement sleeve feed

Replacement sleeve feed - CF 3000 HZG 2,5 - 1205723

<https://www.phoenixcontact.com/us/products/1205723>



Replacement sleeve feed, for the crimping device CF 3000-2,5

Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>



Replacement part

Replacement part - CF 3000 REVERSE TASTE - 3202685

<https://www.phoenixcontact.com/us/products/3202685>

Replacement key for crimping machine



Replacement part

Replacement part - CF 3000 SBO - 1205804

<https://www.phoenixcontact.com/us/products/1205804>

Replacement fixing bolts, for the crimping device CF 3000-2,5



Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 SCHWENKARM KOMPL. - 3202766

<https://www.phoenixcontact.com/us/products/3202766>

Replacement swivel arm, for the crimping device CF 3000-2,5



Replacement fuse

Replacement fuse - CF 3000 SI 0,63A/T/250V - 1205736

<https://www.phoenixcontact.com/us/products/1205736>

Replacement fuse, for the crimping device CF 3000-2,5



Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Tool

Tool - CF 3000 SI 1,25 A/T/120 V - 1208940

<https://www.phoenixcontact.com/us/products/1208940>

Accessories for crimping machine



Replacement fuse

Replacement fuse - CF 3000 SI 4,0A/T/250V - 1205749

<https://www.phoenixcontact.com/us/products/1205749>

Replacement fuse, for the crimping device CF 3000-2,5



Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Case

Case - CF 3000 TOOL BOX - 1206120

<https://www.phoenixcontact.com/us/products/1206120>

Case, unequipped



Accessories for tools/automatic devices

Accessories for tools/automatic devices - CF 3000 TOOL CASE AB - 3202957

<https://www.phoenixcontact.com/us/products/3202957>

Conversion kits, for CF 3000, with adjustable stripping gauge, for insulated ferrules as taped products, 0.5 ... 2.5 mm², packaged in a robust case.



Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Replacement part

Replacement part - CF 3000 ZENTRIERGABEL OBEN - 3202740

<https://www.phoenixcontact.com/us/products/3202740>



Replacement centering fork (top), for the crimping device CF 3000-2,5

Replacement part

Replacement part - CF 3000 ZENTRIERGABEL UNTEN - 3202753

<https://www.phoenixcontact.com/us/products/3202753>



Replacement centering fork (bottom), for the crimping device CF 3000-2,5

Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>



Housing part

Housing part - CF 3000 GEHAEUSE HINTEN - 3202669

<https://www.phoenixcontact.com/us/products/3202669>

Rear housing part for crimping machine



Replacement part

Replacement part - CF 3000 GUMMIFUESSE - 3202656

<https://www.phoenixcontact.com/us/products/3202656>

Replacement rubber feet, for the crimping device CF 3000-2,5



Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>



Accessories

Accessories - CF 3000 STEUERUNGSPLATINE - 3202795

<https://www.phoenixcontact.com/us/products/3202795>



Replacement controller PCB, for the CF 3000-2,5 crimping device

Ferrule

Ferrule - AI 0,25-8 YE-B - 3240251

<https://www.phoenixcontact.com/us/products/3240251>

Ferrules, taped, 0.25 mm², sleeve length: 8 mm, color: yellow (CF 3000-TOOLKIT 0,25 is required)



Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Ferrule

Ferrule - Al 0,5 - 8 WH-B - 3201369

<https://www.phoenixcontact.com/us/products/3201369>

Ferrules, 0.5 mm², taped, sleeve length: 8 mm, with plastic collar, galvanically tin-plated, color: white, color range according to DIN 46228-4, CSA-certified



Ferrule

Ferrule - Al 0,75- 8 GY-B - 3201372

<https://www.phoenixcontact.com/us/products/3201372>

Ferrules, 0.75 mm², taped, sleeve length: 8 mm, with plastic collar, galvanically tin-plated, color: gray, color range according to DIN 46228-4, CSA-certified



Electrical crimping tool - CF 3000-2,5 120V

1205516


<https://www.phoenixcontact.com/us/products/1205516>

Ferrule

Ferrule - AI 1 - 8 RD-B - 3201385

<https://www.phoenixcontact.com/us/products/3201385>

Ferrules, 1.0 mm², taped, sleeve length: 8 mm, with plastic collar, galvanically tin-plated, color: red, color range according to DIN 46228-4, CSA-certified



Ferrule

Ferrule - AI 1,5 - 8 BK-B - 3201398

<https://www.phoenixcontact.com/us/products/3201398>

Ferrules, 1.5 mm², taped, sleeve length: 8 mm, with plastic collar, galvanically tin-plated, color: black, color range according to DIN 46228-4, CSA-certified



Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>

Ferrule

Ferrule - Al 2,5 - 8 BU-B - 3201408

<https://www.phoenixcontact.com/us/products/3201408>

Ferrules, 2.5 mm², taped, sleeve length: 8 mm, with plastic collar, galvanically tin-plated, color: blue, color range according to DIN 46228-4, CSA-certified



Ferrule

Ferrule - Al 0,75- 8 BU-B - 3201547

<https://www.phoenixcontact.com/us/products/3201547>

Ferrule, sleeve length: 8 mm, length: 14 mm, color: blue



Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Ferrule

Ferrule - AI 2,5 - 8 GY-B - 3201550

<https://www.phoenixcontact.com/us/products/3201550>

Ferrule, sleeve length: 8 mm, length: 14 mm, color: gray



Ferrule

Ferrule - AI 0,25-8 BU-B - 3240250

<https://www.phoenixcontact.com/us/products/3240250>

Ferrules, taped, 0,25 mm², sleeve length: 8 mm, color: blue (CF 3000-TOOLKIT 0,25 is required)



Electrical crimping tool - CF 3000-2,5 120V



1205516

<https://www.phoenixcontact.com/us/products/1205516>

Ferrule

Ferrule - AI 0,34-8 TQ-B - 3240249

<https://www.phoenixcontact.com/us/products/3240249>

Ferrules, taped, 0.34 mm², sleeve length: 8 mm, color: turquoise (CF 3000-TOOLKIT 0,25 is required)



Ferrule

Ferrule - AI 0,5 - 8 OG-B - 3201563

<https://www.phoenixcontact.com/us/products/3201563>

Ferrule, sleeve length: 8 mm, length: 14 mm, color: orange



Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>



Ferrule

Ferrule - Al 0,75- 8 WH-B - 3201576

<https://www.phoenixcontact.com/us/products/3201576>

Ferrule, sleeve length: 8 mm, length: 14 mm, color: white



Ferrule

Ferrule - Al 1 - 8 YE-B - 3201589

<https://www.phoenixcontact.com/us/products/3201589>

Ferrule, sleeve length: 8 mm, length: 14 mm, color: yellow



Electrical crimping tool - CF 3000-2,5 120V

1205516

<https://www.phoenixcontact.com/us/products/1205516>




Ferrule

Ferrule - Al 1,5 - 8 RD-B - 3201592

<https://www.phoenixcontact.com/us/products/3201592>

Ferrule, sleeve length: 8 mm, length: 14 mm, color: red



Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA

586 Fulling Mill Road

Middletown, PA 17057, United States

(+717) 944-1300

info@phoenixcon.com