

# Torque screwdriver - TSD 04 SAC

1208429

<https://www.phoenixcontact.com/us/products/1208429>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Torque screwdriver, with preset torque of 0.4 Nm and 4 mm hexagonal drive for M12 connectors

## Your advantages

- TSD ... SAC torque screwdrivers with a range of preset torques from 0.2 Nm to 2.5 Nm
- For the TSD-M... torque screwdrivers the torque can be set individually
- The TSD-M... adapters can accommodate the various nuts
- Wide range of SAC... nuts for various different applications

## Commercial Data

Item number	1208429
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	B14
Product Key	BH314A
Catalog Page	Page 460 (C-3-2019)
GTIN	4046356014519
Weight per Piece (including packing)	90.9 g
Weight per Piece (excluding packing)	90.9 g
Customs tariff number	82054000
Country of origin	CZ

# Torque screwdriver - TSD 04 SAC



1208429

<https://www.phoenixcontact.com/us/products/1208429>

## Technical Data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

Type

Hexagonal SW4

Product type

Torque tool

### Connection data

Torque range

0.4 Nm ... 0.4 Nm  $\pm$ 10 %

Output

External hexagonal

### Dimensions

Width

37 mm

Blade width

0 mm

Blade height

100 mm

Length

205 mm

Blade thickness

0 mm

### Material specifications

Color

black

# Torque screwdriver - TSD 04 SAC

1208429

<https://www.phoenixcontact.com/us/products/1208429>



## Approvals



**EAC**

Approval ID: RU x-DE.xx08.B.02974

# Torque screwdriver - TSD 04 SAC

1208429

<https://www.phoenixcontact.com/us/products/1208429>



## Classifications

### ECLASS

ECLASS-10.0.1	21040417
ECLASS-9.0	21040417
ECLASS-11.0	21040417

### ETIM

ETIM 8.0	EC011814
----------	----------

### UNSPSC

UNSPSC 21.0	27111700
-------------	----------

# Torque screwdriver - TSD 04 SAC



1208429

<https://www.phoenixcontact.com/us/products/1208429>

## Accessories

### Tool

Tool - SAC BIT M12-D15 - 1208432

<https://www.phoenixcontact.com/us/products/1208432>



Nut for assembling sensor/actuator cables with M12 connector and M12 connectors for assembly, with a knurl diameter of 15 mm, for 4 mm hexagonal drive

---

### Tool

Tool - SACC BIT M12-D20 - 1208445

<https://www.phoenixcontact.com/us/products/1208445>



Nut for assembling M12 connectors for assembly with a knurl diameter of 20 mm, for 4 mm hexagonal drive

# Torque screwdriver - TSD 04 SAC

1208429

<https://www.phoenixcontact.com/us/products/1208429>



## Tool

Tool - SAC BIT M12-W14 - 1212513

<https://www.phoenixcontact.com/us/products/1212513>

Nut for assembling sensor/actuator cables with M12 connector and M12 connectors for assembly, with a hexagonal knurl wrench size of 14 mm, with 4 mm hexagonal drive



---

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)