

Tool - SAC BIT QUICKON-W13

1212033

<https://www.phoenixcontact.com/us/products/1212033>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Nut for assembling pressure nuts with 13 mm wrench size, for 4 mm hexagonal drive



Commercial Data

Item number	1212033
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to Order (non-returnable)
Sales Key	B14
Product Key	BH3149
Catalog Page	Page 460 (C-3-2019)
GTIN	4046356439312
Weight per Piece (including packing)	23.1 g
Weight per Piece (excluding packing)	23.1 g
Customs tariff number	82079030
Country of origin	DE

Tool - SAC BIT QUICKON-W13

1212033

<https://www.phoenixcontact.com/us/products/1212033>



Technical Data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type	Screwdriver tools
--------------	-------------------

Connection data

Output	QUICKON fast connection
--------	-------------------------

Dimensions

Width	20.5 mm
Height	6 mm
Length	24.5 mm

Material specifications

Material	alloyed tool steel
Coating	nickel-plated
Base element material	Steel

Tool - SAC BIT QUICKON-W13

1212033

<https://www.phoenixcontact.com/us/products/1212033>



Classifications

ECLASS

ECLASS-9.0	21044290
ECLASS-10.0.1	21044290
ECLASS-11.0	21044290

ETIM

ETIM 8.0	EC011813
----------	----------

UNSPSC

UNSPSC 21.0	27111700
-------------	----------

Tool - SAC BIT QUICKON-W13

1212033

<https://www.phoenixcontact.com/us/products/1212033>



Accessories

Torque screwdriver

Torque screwdriver - TSD 08 SAC - 1212597

<https://www.phoenixcontact.com/us/products/1212597>

Torque screw driver with preset torque of 0.8 Nm, with 4 mm hexagon for accommodating SAC bits, two-component handle with non-slip grip



Torque screwdriver

Torque screwdriver - TSD 20 SAC - 1212020

<https://www.phoenixcontact.com/us/products/1212020>

Torque screwdriver, with preset torque of 2.0 Nm and 4 mm hexagonal drive for the pressure nut of the fast connection



Tool - SAC BIT QUICKON-W13

1212033

<https://www.phoenixcontact.com/us/products/1212033>



Torque screwdriver

Torque screwdriver - TSD-M 1,2NM - 1212224

<https://www.phoenixcontact.com/us/products/1212224>



Torque screw driver, accuracy as per EN ISO 6789 standard, adjustable from 0.3 - 1.2 Nm

Torque screwdriver

Torque screwdriver - TSD-M 3NM - 1212225

<https://www.phoenixcontact.com/us/products/1212225>



Torque screw driver, accuracy as per EN ISO 6789 standard, adjustable from 1.2 - 3 Nm

Tool - SAC BIT QUICKON-W13

1212033

<https://www.phoenixcontact.com/us/products/1212033>



Adapter insert

Adapter insert - TSD-M SAC-BIT ADAPTER - 1212600

<https://www.phoenixcontact.com/us/products/1212600>

Adapter bit for TSD-M...torque tools, E6.3-1/4" drive with 4 mm hexagon to accommodate SAC bits



Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com