

# Crimping pliers - CRIMPFOX-DSUB 5



1212111

<https://www.phoenixcontact.com/us/products/1212111>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Crimping pliers for D-SUB contacts, high-density, 0.08 - 0.5 mm<sup>2</sup>, B-crimp, including contact locator

## Your advantages

- Lateral conductor entry
- Unlockable pressure lock
- Unlockable pressure lock
- High crimping force with low manual force
- Marked die stations for precise processing of corresponding cross sections

## Commercial Data

|                                      |                                |
|--------------------------------------|--------------------------------|
| Item number                          | 1212111                        |
| Packing unit                         | 1 pc                           |
| Minimum order quantity               | 1 pc                           |
| Note                                 | Made to Order (non-returnable) |
| Sales Key                            | B14                            |
| Product Key                          | BH3136                         |
| Catalog Page                         | Page 434 (C-3-2019)            |
| GTIN                                 | 4046356453899                  |
| Weight per Piece (including packing) | 445.3 g                        |
| Weight per Piece (excluding packing) | 442.9 g                        |
| Customs tariff number                | 82032000                       |
| Country of origin                    | SE                             |

# Crimping pliers - CRIMPFOX-DSUB 5



1212111

<https://www.phoenixcontact.com/us/products/1212111>

## Technical Data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

|              |               |
|--------------|---------------|
| Product type | Crimping tool |
| Compression  | B crimp       |

#### Crimping position 1

|                    |                      |
|--------------------|----------------------|
| Min. cross section | 0.08 mm <sup>2</sup> |
| Max. cross section | 0.22 mm <sup>2</sup> |
| AWG min            | 28                   |
| AWG max            | 26                   |

#### Crimping position 2

|                    |                      |
|--------------------|----------------------|
| Min. cross section | 0.08 mm <sup>2</sup> |
| Max. cross section | 0.22 mm <sup>2</sup> |
| AWG min            | 28                   |
| AWG max            | 26                   |

#### Crimping position 3

|                    |                      |
|--------------------|----------------------|
| Min. cross section | 0.22 mm <sup>2</sup> |
| Max. cross section | 0.5 mm <sup>2</sup>  |
| AWG min            | 26                   |
| AWG max            | 22                   |

### Connection data

#### Conductor connection

|                             |                                              |
|-----------------------------|----------------------------------------------|
| Cross section range, metric | 0.08 mm <sup>2</sup> ... 0.5 mm <sup>2</sup> |
| Cross section range AWG     | 28 ... 22                                    |

### Dimensions

|        |        |
|--------|--------|
| Width  | 18 mm  |
| Height | 59 mm  |
| Length | 198 mm |

### Material specifications

|       |       |
|-------|-------|
| Color | black |
|-------|-------|


# Crimping pliers - CRIMPFOX-DSUB 5

1212111

<https://www.phoenixcontact.com/us/products/1212111>

## Drawings

Product drawing



# Crimping pliers - CRIMPFOX-DSUB 5

1212111

<https://www.phoenixcontact.com/us/products/1212111>



## Approvals



**EAC**

Approval ID: RU x-DE.xx08.B.02974

# Crimping pliers - CRIMPFOX-DSUB 5



1212111

<https://www.phoenixcontact.com/us/products/1212111>

## Classifications

### ECLASS

|               |          |
|---------------|----------|
| ECLASS-9.0    | 21043811 |
| ECLASS-10.0.1 | 21043811 |
| ECLASS-11.0   | 21043811 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC000168 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 27111500 |
|-------------|----------|

# Crimping pliers - CRIMPFOX-DSUB 5



1212111

<https://www.phoenixcontact.com/us/products/1212111>

## Accessories

### Replacement die

Replacement die - CRIMPFOX-DSUB 5/DIE - 1212287

<https://www.phoenixcontact.com/us/products/1212287>

Spare die for CRIMPFOX-DSUB 5



---

### Replacement spring

Replacement spring - CRIMPFOX/ SPR-3 - 1212036

<https://www.phoenixcontact.com/us/products/1212036>

Spare recuperating spring



---

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)