

# Torque screwdriver - TSD-M 3NM



1212225

<https://www.phoenixcontact.com/us/products/1212225>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Torque screw driver, accuracy as per EN ISO 6789 standard, adjustable from 1.2 - 3 Nm

## Your advantages

- TSD-M... torque screwdrivers are easy to adjust to the required torque within the range of 1.2 Nm ... 3,0 Nm
- Torque screwdrivers with hexagonal fast connection holder
- High-precision, finely adjustable torque screwdrivers in accordance with EN ISO 6789

## Commercial Data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1212225             |
| Packing unit                         | 1 pc                |
| Minimum order quantity               | 1 pc                |
| Sales Key                            | B14                 |
| Product Key                          | BH314A              |
| Catalog Page                         | Page 453 (C-3-2019) |
| GTIN                                 | 4046356455565       |
| Weight per Piece (including packing) | 190 g               |
| Weight per Piece (excluding packing) | 179 g               |
| Customs tariff number                | 82054000            |
| Country of origin                    | CZ                  |

# Torque screwdriver - TSD-M 3NM



1212225

<https://www.phoenixcontact.com/us/products/1212225>

## Technical Data

### Notes

#### Environmental Product Compliance

|                           |                                                                                                               |
|---------------------------|---------------------------------------------------------------------------------------------------------------|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---------------------------------------------------------------------------------------------------------------|

### Product properties

|              |             |
|--------------|-------------|
| Product type | Torque tool |
|--------------|-------------|

### Connection data

|              |                     |
|--------------|---------------------|
| Torque range | 1.2 Nm ... 3 Nm 6 % |
| Output       | External hexagonal  |

### Dimensions

|                 |         |
|-----------------|---------|
| Width           | 36.5 mm |
| Blade width     | 0 mm    |
| Height          | 36.5 mm |
| Length          | 150 mm  |
| Blade thickness | 0 mm    |

### Material specifications

|       |       |
|-------|-------|
| Color | black |
|-------|-------|

# Torque screwdriver - TSD-M 3NM

1212225

<https://www.phoenixcontact.com/us/products/1212225>



## Approvals



**EAC**

Approval ID: RU x-DE.xx08.B.02974

# Torque screwdriver - TSD-M 3NM



1212225

<https://www.phoenixcontact.com/us/products/1212225>

## Classifications

### ECLASS

|               |          |
|---------------|----------|
| ECLASS-9.0    | 21040417 |
| ECLASS-10.0.1 | 21040417 |
| ECLASS-11.0   | 21040417 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC011814 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 27111700 |
|-------------|----------|

# Torque screwdriver - TSD-M 3NM



1212225

<https://www.phoenixcontact.com/us/products/1212225>

## Accessories

### Screw insert

Screw insert - BHN 5,5 - 1209965

<https://www.phoenixcontact.com/us/products/1209965>

Nut, hexagonal, 5.5 mm



---

### Screw insert

Screw insert - BHN 8 - 1209978

<https://www.phoenixcontact.com/us/products/1209978>

Nut, hexagonal, 8 mm



# Torque screwdriver - TSD-M 3NM



1212225

<https://www.phoenixcontact.com/us/products/1212225>

## Screw insert

Screw insert - BHN 10 - 1209981

<https://www.phoenixcontact.com/us/products/1209981>



Socket wrench insert, magnetic, hexagonal, 10 mm wrench size, 1/4" drive, suitable for holders according to DIN 3126-F 6,3/ISO 1173

---

## Screw insert

Screw insert - BHN 13 - 1209994

<https://www.phoenixcontact.com/us/products/1209994>



Nut, hexagonal, 13 mm

# Torque screwdriver - TSD-M 3NM



1212225

<https://www.phoenixcontact.com/us/products/1212225>

## Adapter insert

Adapter insert - BF 6,3 - 1209936

<https://www.phoenixcontact.com/us/products/1209936>

Adapter for 1/4" bit holder



---

## Adapter insert

Adapter insert - TSD-M SAC-BIT ADAPTER - 1212600

<https://www.phoenixcontact.com/us/products/1212600>

Adapter bit for TSD-M...torque tools, E6.3-1/4" drive with 4 mm hexagon to accommodate SAC bits



---

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)