


# Crimp insert - CF 500/DIE TC 4

1212237

<https://www.phoenixcontact.com/us/products/1212237>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Die for crimping machine CF 500, for turned contacts with pin diameters of 2.5 and 4.0 mm (CK 2.5 ... CK 4.0) 0.14 ... 4 mm<sup>2</sup>

## Commercial Data

Item number	1212237
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to Order (non-returnable)
Sales Key	B15
Product Key	BH323Z
Catalog Page	Page 511 (C-3-2019)
GTIN	4046356449816
Weight per Piece (including packing)	67.7 g
Weight per Piece (excluding packing)	67.7 g
Customs tariff number	84799070
Country of origin	DE

# Crimp insert - CF 500/DIE TC 4



1212237

<https://www.phoenixcontact.com/us/products/1212237>

## Technical Data

### Product properties

Product type	Die
Compression	Square crimp
Min. cross section	0.14 mm <sup>2</sup>
Max. cross section	4 mm <sup>2</sup>

### Connection data

#### Conductor connection

Cross section range, metric	0.14 mm <sup>2</sup> ... 4 mm <sup>2</sup>
-----------------------------	--

### Material specifications

Color	black
Material	Steel
Coating	nickel-plated

### Cable / line

External cable diameter	0.5 mm ... 2.4 mm
-------------------------	-------------------

# Crimp insert - CF 500/DIE TC 4

1212237

<https://www.phoenixcontact.com/us/products/1212237>



## Approvals



**EAC**

Approval ID: RU C-DE.AI30.B.01549

# Crimp insert - CF 500/DIE TC 4



1212237

<https://www.phoenixcontact.com/us/products/1212237>

## Classifications

### ECLASS

ECLASS-9.0	17139201
ECLASS-10.0.1	17139201
ECLASS-11.0	17130192

### ETIM

ETIM 8.0	EC002778
----------	----------

### UNSPSC

UNSPSC 21.0	27111500
-------------	----------

# Crimp insert - CF 500/DIE TC 4

1212237

<https://www.phoenixcontact.com/us/products/1212237>




## Mandatory Accessories

### Covering hood

Covering hood - CF 500/COV RCI - 1212255

<https://www.phoenixcontact.com/us/products/1212255>



Protective cover for crimping machine CF 500, for insulated cable lugs 0.14 - 6 mm<sup>2</sup> (RCI 1.5/6) and turned contacts 0.14 - 4 mm<sup>2</sup> (TC 4)

---

## Accessories

### Contact removal tool

Contact removal tool - UNIFOX RT-CK 1.6 - 1072069

<https://www.phoenixcontact.com/us/products/1072069>



Contact removal tool, for turned and rolled CK- 1.6-... contacts

# Crimp insert - CF 500/DIE TC 4

1212237

<https://www.phoenixcontact.com/us/products/1212237>



## Assembly tool

Assembly tool - UNIFOX MT-CK 1.6/2.5 - 1089092

<https://www.phoenixcontact.com/us/products/1089092>



Assembly tool, for CK 1.6... crimp contacts for small conductor cross sections

---

## Contact removal tool

Contact removal tool - UNIFOX RT-CK 2.5 - 1072067

<https://www.phoenixcontact.com/us/products/1072067>



Contact removal tool, for turned CK 2,5... contacts

# Crimp insert - CF 500/DIE TC 4

1212237

<https://www.phoenixcontact.com/us/products/1212237>



## Contact removal tool

Contact removal tool - UNIFOX RT-CK 4.0 - 1072064

<https://www.phoenixcontact.com/us/products/1072064>

Contact removal tool, for rotated CK-4,0-... contacts



---

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)