


Crimp insert - CF 500/DIE AI 50

1212261

<https://www.phoenixcontact.com/us/products/1212261>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Die for crimping machine CF 500, for ferrules (A... and AI...) 35 and 50 mm²



Commercial Data

Item number	1212261
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to Order (non-returnable)
Sales Key	B15
Product Key	BH323Z
Catalog Page	Page 511 (C-3-2019)
GTIN	4046356449854
Weight per Piece (including packing)	82 g
Weight per Piece (excluding packing)	70.1 g
Customs tariff number	84799070
Country of origin	DE

Crimp insert - CF 500/DIE AI 50



1212261

<https://www.phoenixcontact.com/us/products/1212261>

Technical Data

Product properties

Product type	Die
Compression	WM crimp
Min. cross section	35 mm ²
Max. cross section	50 mm ²

Connection data

Conductor connection

Cross section range, metric	35 mm ² ... 50 mm ²
-----------------------------	---

Material specifications

Material	Steel
----------	-------

Crimp insert - CF 500/DIE AI 50

1212261

<https://www.phoenixcontact.com/us/products/1212261>



Approvals



EAC

Approval ID: RU C-DE.AI30.B.01549

Crimp insert - CF 500/DIE AI 50



1212261

<https://www.phoenixcontact.com/us/products/1212261>

Classifications

ECLASS

ECLASS-9.0	17139201
ECLASS-11.0	17130192
ECLASS-10.0.1	17139201

ETIM

ETIM 8.0	EC002778
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Crimp insert - CF 500/DIE AI 50

1212261

<https://www.phoenixcontact.com/us/products/1212261>



Accessories

Covering hood

Covering hood - CF 500/COV - 1212250

<https://www.phoenixcontact.com/us/products/1212250>



Protective cover for crimping machine CF, without recess (for all dies without classification)

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com