

# Screwdriver - SF-PHSL 1-80 VDE



1212283

<https://www.phoenixcontact.com/us/products/1212283>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Screwdriver, positive/negative PH slot, VDE-isolated, size: PH 1 x 80, two component handle, with non-slip grip

## Your advantages

- Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head
- VDE approval

## Commercial Data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1212283             |
| Packing unit                         | 1 pc                |
| Minimum order quantity               | 10 pc               |
| Sales Key                            | B14                 |
| Product Key                          | BH3145              |
| Catalog Page                         | Page 445 (C-3-2019) |
| GTIN                                 | 4046356455183       |
| Weight per Piece (including packing) | 61.37 g             |
| Weight per Piece (excluding packing) | 61.37 g             |
| Customs tariff number                | 82054000            |
| Country of origin                    | CZ                  |

# Screwdriver - SF-PHSL 1-80 VDE



1212283

<https://www.phoenixcontact.com/us/products/1212283>

## Technical Data

### Notes

#### Environmental Product Compliance

|                           |                                                                                                               |
|---------------------------|---------------------------------------------------------------------------------------------------------------|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---------------------------------------------------------------------------------------------------------------|

### Product properties

|              |                   |
|--------------|-------------------|
| Type         | Phillips          |
| Product type | Screwdriver tools |
| Type         | straight          |

### Connection data

|        |                            |
|--------|----------------------------|
| Output | Phillips Recess/plus-minus |
|--------|----------------------------|

### Dimensions

|              |        |
|--------------|--------|
| Width        | 26 mm  |
| Blade width  | 4.5 mm |
| Blade height | 80 mm  |
| Length       | 178 mm |
| Wrench size  | 0 mm   |

### Material specifications

|          |                    |
|----------|--------------------|
| Material | alloyed tool steel |
|----------|--------------------|

### Standards and regulations

|       |                |
|-------|----------------|
| Tests | IEC 60900:2004 |
|-------|----------------|

### Mounting

|             |      |
|-------------|------|
| Wrench size | 0 mm |
|-------------|------|

# Screwdriver - SF-PHSL 1-80 VDE



1212283

<https://www.phoenixcontact.com/us/products/1212283>

## Approvals



**EAC**

Approval ID: RU C-DE.AI30.B.01750



**VDE Zeichengenehmigung**

Approval ID: 086858

# Screwdriver - SF-PHSL 1-80 VDE



1212283

<https://www.phoenixcontact.com/us/products/1212283>

## Classifications

### ECLASS

|               |          |
|---------------|----------|
| ECLASS-9.0    | 21040406 |
| ECLASS-10.0.1 | 21040406 |
| ECLASS-11.0   | 21040406 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC000144 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 27111700 |
|-------------|----------|

Phoenix Contact 2022 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)