

# Screwdriver - SF-PH 0-60

1212558

<https://www.phoenixcontact.com/us/products/1212558>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Screwdriver, PH crosshead, size: PH 0 x 60, 2-component grip, with non-slip grip



## Your advantages

- Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head

## Commercial Data

|                                      |                                |
|--------------------------------------|--------------------------------|
| Item number                          | 1212558                        |
| Packing unit                         | 1 pc                           |
| Minimum order quantity               | 10 pc                          |
| Note                                 | Made to Order (non-returnable) |
| Sales Key                            | B14                            |
| Product Key                          | BH3142                         |
| Catalog Page                         | Page 445 (C-3-2019)            |
| GTIN                                 | 4046356589932                  |
| Weight per Piece (including packing) | 32.05 g                        |
| Weight per Piece (excluding packing) | 32.05 g                        |
| Customs tariff number                | 82054000                       |
| Country of origin                    | CZ                             |

# Screwdriver - SF-PH 0-60

1212558

<https://www.phoenixcontact.com/us/products/1212558>



## Technical Data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

|              |                   |
|--------------|-------------------|
| Type         | Phillips          |
| Product type | Screwdriver tools |
| Type         | straight          |

### Connection data

|        |                           |
|--------|---------------------------|
| Output | Crosshead/Phillips Recess |
|--------|---------------------------|

### Dimensions

|              |        |
|--------------|--------|
| Width        | 26 mm  |
| Blade width  | 3 mm   |
| Blade height | 80 mm  |
| Length       | 161 mm |
| Wrench size  | 0 mm   |

### Material specifications

|          |                    |
|----------|--------------------|
| Material | alloyed tool steel |
|----------|--------------------|

### Standards and regulations

|       |                |
|-------|----------------|
| Tests | DIN ISO 8764-1 |
|-------|----------------|

### Mounting

|             |      |
|-------------|------|
| Wrench size | 0 mm |
|-------------|------|

# Screwdriver - SF-PH 0-60

1212558

<https://www.phoenixcontact.com/us/products/1212558>



## Approvals



**EAC**

Approval ID: RU C-DE.AI30.B.01750

# Screwdriver - SF-PH 0-60

1212558

<https://www.phoenixcontact.com/us/products/1212558>



## Classifications

### ECLASS

|               |          |
|---------------|----------|
| ECLASS-9.0    | 21040406 |
| ECLASS-10.0.1 | 21040406 |
| ECLASS-11.0   | 21040406 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC000144 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 27111700 |
|-------------|----------|

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)