

Torque screwdriver - TSD 08 SAC

1212597

<https://www.phoenixcontact.com/us/products/1212597>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Torque screw driver with preset torque of 0.8 Nm, with 4 mm hexagon for accommodating SAC bits, two-component handle with non-slip grip

Your advantages

- For the TSD-M... torque screwdrivers the torque can be set individually
- TSD ... SAC torque screwdrivers with a range of preset torques from 0.2 Nm to 2.5 Nm
- The TSD-M... adapters can accommodate the various nuts
- Wide range of SAC... nuts for various different applications

Commercial Data

Item number	1212597
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	B14
Product Key	BH314A
Catalog Page	Page 460 (C-3-2019)
GTIN	4046356590716
Weight per Piece (including packing)	91.2 g
Weight per Piece (excluding packing)	91.2 g
Customs tariff number	82054000
Country of origin	CZ

Torque screwdriver - TSD 08 SAC

1212597

<https://www.phoenixcontact.com/us/products/1212597>



Technical Data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Type	Hexagonal SW4
Product type	Torque tool

Connection data

Torque range	0.8 Nm ... 0.8 Nm
Output	External hexagonal

Dimensions

Width	37 mm
Blade width	0 mm
Blade height	100 mm
Length	205 mm
Blade thickness	0 mm

Material specifications

Color	black
Material	alloyed tool steel

Torque screwdriver - TSD 08 SAC

1212597

<https://www.phoenixcontact.com/us/products/1212597>



Approvals



EAC

Approval ID: RU x-DE.xx08.B.02974

Torque screwdriver - TSD 08 SAC

1212597

<https://www.phoenixcontact.com/us/products/1212597>



Classifications

ECLASS

ECLASS-9.0	21040417
ECLASS-10.0.1	21040417
ECLASS-11.0	21040417

ETIM

ETIM 8.0	EC011814
----------	----------

UNSPSC

UNSPSC 21.0	27111700
-------------	----------

Torque screwdriver - TSD 08 SAC

1212597

<https://www.phoenixcontact.com/us/products/1212597>



Accessories

Tool

Tool - SAC BIT QUICKON-W13 - 1212033

<https://www.phoenixcontact.com/us/products/1212033>

Nut for assembling pressure nuts with 13 mm wrench size, for 4 mm hexagonal drive



Tool

Tool - SACC BIT M12-D20 - 1208445

<https://www.phoenixcontact.com/us/products/1208445>

Nut for assembling M12 connectors for assembly with a knurl diameter of 20 mm, for 4 mm hexagonal drive



Torque screwdriver - TSD 08 SAC

1212597

<https://www.phoenixcontact.com/us/products/1212597>



Tool

Tool - SAC BIT MIN-D25 - 1212512

<https://www.phoenixcontact.com/us/products/1212512>

Nut for assembling 7/8" connectors with a knurl diameter of 25 mm, with 4 mm hexagonal drive



Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com