

Crimping tool, pneumatic - ZAP 40



1212630

<https://www.phoenixcontact.com/us/products/1212630>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Pneumatic crimping pliers, for ferrules according to DIN 46228-1: 1992-08 and DIN 46228-4: 1990-09, for conductor cross section 0.25 - 4 mm², trapezoid crimping, lateral entry

Commercial Data

Item number	1212630
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	B15
Product Key	BH3232
Catalog Page	Page 508 (C-3-2019)
GTIN	4046356661027
Weight per Piece (including packing)	778.8 g
Weight per Piece (excluding packing)	734.2 g
Customs tariff number	84671900
Country of origin	DE

Crimping tool, pneumatic - ZAP 40

1212630

<https://www.phoenixcontact.com/us/products/1212630>



Technical Data

Product properties

Product type	Crimping machine
Compression	trapezoidal
Air consumption per compression	0.2 l
Pressure range	4 bar ... 6 bar

Electrical properties

Frequency range	0 Hz
Power consumption	0 W

Supply

Supply voltage range	0 V
----------------------	-----

Connection data

Conductor connection

Cross section range, metric	0.25 mm ² ... 4 mm ²
-----------------------------	--

Dimensions

Width	44 mm
Height	44 mm
Length	200 mm

Crimping tool, pneumatic - ZAP 40

1212630

<https://www.phoenixcontact.com/us/products/1212630>



Approvals



EAC

Approval ID: RU C-DE.A*30.B.01744

Crimping tool, pneumatic - ZAP 40

1212630

<https://www.phoenixcontact.com/us/products/1212630>



Classifications

ECLASS

ECLASS-9.0	17130101
ECLASS-11.0	17130101
ECLASS-10.0.1	17130101

ETIM

ETIM 8.0	EC002778
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Crimping tool, pneumatic - ZAP 40

1212630

<https://www.phoenixcontact.com/us/products/1212630>



Accessories

Ferrule

Ferrule - Al 0,25- 6 YE - 3203024

<https://www.phoenixcontact.com/us/products/3203024>



Ferrule, sleeve length: 6 mm, length: 10.5 mm, color: yellow

Ferrule

Ferrule - Al 0,25- 8 YE - 3203037

<https://www.phoenixcontact.com/us/products/3203037>



Ferrule, sleeve length: 8 mm, length: 12.5 mm, color: yellow

Crimping tool, pneumatic - ZAP 40



1212630

<https://www.phoenixcontact.com/us/products/1212630>

Ferrule

Ferrule - Al 0,5 - 8 WH - 3200014

<https://www.phoenixcontact.com/us/products/3200014>

Ferrule, sleeve length: 8 mm, length: 14 mm, color: white



Ferrule

Ferrule - Al 0,5 - 10 WH - 3201275

<https://www.phoenixcontact.com/us/products/3201275>

Ferrule, sleeve length: 10 mm, length: 16 mm, color: white



Crimping tool, pneumatic - ZAP 40

1212630

<https://www.phoenixcontact.com/us/products/1212630>



Ferrule

Ferrule - Al 0,75- 8 GY - 3200519

<https://www.phoenixcontact.com/us/products/3200519>

Ferrule, sleeve length: 8 mm, length: 14 mm, color: gray



Ferrule

Ferrule - Al 0,75-10 GY - 3201288

<https://www.phoenixcontact.com/us/products/3201288>

Ferrule, sleeve length: 10 mm, length: 16 mm, color: gray



Crimping tool, pneumatic - ZAP 40

1212630

<https://www.phoenixcontact.com/us/products/1212630>



Ferrule

Ferrule - Al 1 - 8 RD - 3200030

<https://www.phoenixcontact.com/us/products/3200030>

Ferrule, sleeve length: 8 mm, length: 14 mm, color: red



Ferrule

Ferrule - Al 1 -10 RD - 3200182

<https://www.phoenixcontact.com/us/products/3200182>

Ferrule, sleeve length: 10 mm, length: 16 mm, color: red



Crimping tool, pneumatic - ZAP 40

1212630

<https://www.phoenixcontact.com/us/products/1212630>



Ferrule

Ferrule - Al 1,5 - 8 BK - 3200043

<https://www.phoenixcontact.com/us/products/3200043>

Ferrule, sleeve length: 8 mm, length: 14 mm, color: black



Ferrule

Ferrule - Al 1,5 - 10 BK - 3200195

<https://www.phoenixcontact.com/us/products/3200195>

Ferrule, sleeve length: 10 mm, length: 16 mm, color: black



Crimping tool, pneumatic - ZAP 40



1212630

<https://www.phoenixcontact.com/us/products/1212630>

Ferrule

Ferrule - Al 2,5 -10 BU - 3202533

<https://www.phoenixcontact.com/us/products/3202533>

Ferrule, sleeve length: 10 mm, length: 17 mm, color: blue



Ferrule

Ferrule - Al 2,5 -12 BU - 3200962

<https://www.phoenixcontact.com/us/products/3200962>

Ferrule, sleeve length: 12 mm, length: 18 mm, color: blue



Crimping tool, pneumatic - ZAP 40

1212630

<https://www.phoenixcontact.com/us/products/1212630>



Ferrule

Ferrule - Al 4 -10 GY - 3200535

<https://www.phoenixcontact.com/us/products/3200535>

Ferrule, sleeve length: 10 mm, length: 17 mm, color: gray



Ferrule

Ferrule - Al 4 -12 GY - 3200959

<https://www.phoenixcontact.com/us/products/3200959>

Ferrule, sleeve length: 12 mm, length: 20 mm, color: gray



Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com