


Crimp insert - CF 500/DIE SR 6-2

1212692

<https://www.phoenixcontact.com/us/products/1212692>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Die for CF 500 crimping machine, for solar contacts, 2.5 mm², 4 mm², 6 mm²

Commercial Data

Item number	1212692
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to Order (non-returnable)
Sales Key	B15
Product Key	BH323Z
Catalog Page	Page 511 (C-3-2019)
GTIN	4046356714778
Weight per Piece (including packing)	69 g
Weight per Piece (excluding packing)	69 g
Customs tariff number	84799070
Country of origin	DE

Crimp insert - CF 500/DIE SR 6-2

1212692

<https://www.phoenixcontact.com/us/products/1212692>



Technical Data

Product properties

Product type	Die
Compression	B crimp
Max. cross section	2.5 mm ²
Max. cross section	4 mm ²
Max. cross section	6 mm ²

Connection data

Conductor connection

Cross section range, metric	2.5 mm ² ... 6 mm ²
-----------------------------	---

Crimp insert - CF 500/DIE SR 6-2

1212692

<https://www.phoenixcontact.com/us/products/1212692>



Approvals



EAC

Approval ID: RU C-DE.AI30.B.01549

Crimp insert - CF 500/DIE SR 6-2



1212692

<https://www.phoenixcontact.com/us/products/1212692>

Classifications

ECLASS

ECLASS-9.0	17139201
ECLASS-10.0.1	17139201
ECLASS-11.0	17130192

ETIM

ETIM 8.0	EC002778
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Crimp insert - CF 500/DIE SR 6-2

1212692

<https://www.phoenixcontact.com/us/products/1212692>




Accessories

Covering hood

Covering hood - CF 500/COV - 1212250

<https://www.phoenixcontact.com/us/products/1212250>



Protective cover for crimping machine CF, without recess (for all dies without classification)

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com