

Stripping tool - WIREFOX-E 10



1212706

<https://www.phoenixcontact.com/us/products/1212706>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Stripping tool, for cables and conductors from 0.02 - 10 mm², self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm² stranded/1.5 mm² solid, replaceable stripping blade

Product Description

Insertable stripping blades: 1212151 WIREFOX 4/SB, 1212153 WIREFOX 16/SB, and 1212314 WIREFOX 6SC/SB, direct replacement: 1212152 WIREFOX 10/SB

Your advantages

- Flexible, adjustable limit stop for the stripping length
- Stripping tool with ergonomically shaped pliers
- Practical integrated wire cutter
- WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

Commercial Data

Item number	1212706
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	B14
Product Key	BH3121
Catalog Page	Page 405 (C-3-2019)
GTIN	4046356783613
Weight per Piece (including packing)	254.4 g
Weight per Piece (excluding packing)	253 g
Customs tariff number	82032000
Country of origin	SE

Stripping tool - WIREFOX-E 10



1212706

<https://www.phoenixcontact.com/us/products/1212706>

Technical Data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type

Stripping tool

Connection data

Conductor connection

Cross section range, metric

0.02 mm² ... 10 mm² (Stripping range)

1.5 mm² (Cutting zone)

Cross section range AWG

34 ... 8 (Stripping range)

16 (Cutting zone)

Dimensions

Width

20 mm

Height

90 mm

Length

191 mm

Material specifications

Color

black/green

Stripping tool - WIREFOX-E 10

1212706

<https://www.phoenixcontact.com/us/products/1212706>



Approvals



EAC

Approval ID: RU x-DE.xx08.B.02974

Stripping tool - WIREFOX-E 10



1212706

<https://www.phoenixcontact.com/us/products/1212706>

Classifications

ECLASS

ECLASS-9.0	21043706
ECLASS-10.0.1	21043706
ECLASS-11.0	21043706

ETIM

ETIM 8.0	EC002109
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Stripping tool - WIREFOX-E 10

1212706

<https://www.phoenixcontact.com/us/products/1212706>



Accessories

Spare knife

Spare knife - WIREFOX 10/SB - 1212152

<https://www.phoenixcontact.com/us/products/1212152>



Replacement blade for WIREFOX 10, for cables and conductors of 0.02 - 10 mm²

Replacement limit stop

Replacement limit stop - WIREFOX 10/WS - 1200285

<https://www.phoenixcontact.com/us/products/1200285>



Replacement limit stop

Stripping tool - WIREFOX-E 10

1212706

<https://www.phoenixcontact.com/us/products/1212706>



Replacement retaining jaw

Replacement retaining jaw - WIREFOX 10/CJ - 1200286

<https://www.phoenixcontact.com/us/products/1200286>

Replacement clamping jaws for WIREFOX 4, WIREFOX 6SC, and WIREFOX 10



Spare knife

Spare knife - WIREFOX 4/SB - 1212151

<https://www.phoenixcontact.com/us/products/1212151>

Replacement blade for WIREFOX 4, for cables and conductors (especially for rubber and silicone insulations) of 0.1 - 4 mm²



Stripping tool - WIREFOX-E 10

1212706

<https://www.phoenixcontact.com/us/products/1212706>



Spare knife

Spare knife - WIREFOX 6SC/SB - 1212314

<https://www.phoenixcontact.com/us/products/1212314>



Replacement blade for WIREFOX 6SC, for cables and conductors (especially for cables protected against short circuits and ground leakages) 1.5 - 6 mm²

Spare knife

Spare knife - WIREFOX 16/SB - 1212153

<https://www.phoenixcontact.com/us/products/1212153>



Replacement blade for WIREFOX 16, for cables and conductors of 4 - 16 mm²

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com