

Crimp insert - CRIMPFOX-M HS/DIE



1219092

<https://www.phoenixcontact.com/us/products/1219092>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Die, for CRIMPFOX-M, for 0.5 - 1.5 mm² and 1.5 - 2.5 mm² shrink connectors (red, blue), packed in a modular storage box

Your advantages

- Die for CRIMPFOX universal pliers

Commercial Data

Item number	1219092
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to Order (non-returnable)
Sales Key	B14
Product Key	BH313Y
Catalog Page	Page 436 (C-3-2019)
GTIN	4046356454629
Weight per Piece (including packing)	73.5 g
Weight per Piece (excluding packing)	73.5 g
Customs tariff number	82032000
Country of origin	SE

Crimp insert - CRIMPFOX-M HS/DIE



1219092

<https://www.phoenixcontact.com/us/products/1219092>

Technical Data

Product properties

Product type	Die
Compression	Oval crimp

Crimping position 1

Min. cross section	0.5 mm ²
Max. cross section	1.5 mm ²
AWG min	22
AWG max	16

Crimping position 2

Min. cross section	1.5 mm ²
Max. cross section	2.5 mm ²
AWG min	16
AWG max	14

Dimensions

Width	75 mm
Height	25.5 mm
Length	114 mm

Material specifications

Color	black
-------	-------

Crimp insert - CRIMPFOX-M HS/DIE

1219092

<https://www.phoenixcontact.com/us/products/1219092>



Approvals



EAC

Approval ID: RU x-DE.xx08.B.02974

Crimp insert - CRIMPFOX-M HS/DIE



1219092

<https://www.phoenixcontact.com/us/products/1219092>

Classifications

ECLASS

ECLASS-9.0	21019290
ECLASS-10.0.1	21019290
ECLASS-11.0	21049090

ETIM

ETIM 8.0	EC001282
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Crimp insert - CRIMPFOX-M HS/DIE

1219092

<https://www.phoenixcontact.com/us/products/1219092>



Accessories

Crimping pliers

Crimping pliers - CRIMPFOX-C D - 1212734

<https://www.phoenixcontact.com/us/products/1212734>



Basic pliers, for accommodating dies for various type of contacts,
unlockable pressure lock, lateral entry

Phoenix Contact 2022 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com