


# Rittal – The System.

Faster – better – everywhere.



## SV 9342.050

## PLS Busbar Supports

State: 3/14/2022 (Source: [ittal.com/us-en](http://ittal.com/us-en))



ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# SV 9342.050 - PLS Busbar Supports

For PLS special busbars 800 A/1600 A, 3-pole and 4-pole, suitable for top-mounting.

## Features

Material	Polyamide Fire protection corresponding to UL 94-V0
Color	RAL 7035
Rated operating voltage	1000 V, 3~ 1500 V (DC)
Note	Support suitable for AC and DC applications.
Note	The use of a base tray is required for UL applications. UL approval only applies in conjunction with AC application
Top-mounting	Yes
Number of poles	3-pole
Suitable for busbars	PLS 1600
With internal attachment	Yes
Center-to-center spacing of busbars	60 mm
Weight/packaging unit	0.592 kg 1.3 lb.
Packaging unit	4 Stück
ETIM 7.0	EC001166
ECLASS 8.0	27400607

## Approvals

# Approvals

---

Approvals	C-UL Lloyds Register of Shipping UL + C-UL
Certificates	EAC
Explanations	Declaration of conformity