


# Rittal – The System.

Faster – better – everywhere.



## KX 1506.000 KX small housing

État: 9/16/2022 (La source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# KX 1506.000 - KX small housing KX terminal box, sheet steel, without flange

The small enclosure KX, terminal box KX, without a gland plate allows for flexible interior installation while maintaining a high protection category.

## Caractéristiques

Model No.	KX 1506.000
Product description	The small enclosure KX, terminal box KX, without a gland plate allows for flexible interior installation while maintaining a high protection category.
Material	Housing: Carbon steel Cover: Carbon steel, all-round foamed-in PU seal
Surface finish	Housing and cover: Dipcoat primed, powder-coated on the outside, textured paint
Color	RAL 7035
Supply includes	Housing with cover Mini cam lock
Protection category NEMA	NEMA 1, 3R, 4, 12
Protection category IP to EN 60 529	IP 66
Type rating according to UL 50E	Type 1, 3R, 4, 12
IK code	IK08
Dimensions	Width: 600 mm Height: 200 mm Depth: 120 mm Width: 23.6 " Height: 7.87 " Depth: 4.72 "
Material thickness - cover	1.25 mm 0.05 "

# Caractéristiques

---

Material thickness - enclosure	1.25 mm 0.05 "
--------------------------------	-------------------

---

Base material	Carbon steel
---------------	--------------

---

Packaging unit	1 pc(s).
----------------	----------

---

Weight/packaging unit	4.92 kg 10.8 lb.
-----------------------	---------------------

---

Copper weight (kg per piece)	0
------------------------------	---

---

Customs tariff number	84879090
-----------------------	----------

---

EAN	4028177816206
-----	---------------

---

ETIM 7.0	EC000261
----------	----------

---

ECLASS 8.0	27180101
------------	----------

# Approbation

---

Approbation	Bureau Veritas DNV-GL GOST Lloyds Register of Shipping UL + C-UL (listed)
-------------	---

---

Certificats	Protection category
-------------	---------------------

---

Explications	Manufacturer's declaration Declaration of conformity Declaration of conformity UK
--------------	---