

# Rittal – The System.

Faster – better – everywhere.



## KX 1553.000 KX small housing

State: 9/16/2022 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# KX 1553.000 - KX small housing E-box KX, sheet steel

The small enclosure KX, E-Box KX, carbon steel offers remarkable ease of assembly and flexibility when selecting lock systems.

## Features

Model No.	KX 1553.000
Product description	The small enclosure KX, E-Box KX, carbon steel offers remarkable ease of assembly and flexibility when selecting lock systems.
Material	Housing: Carbon steel Door: Carbon steel, all-round foamed-in PU seal
Surface finish	Housing and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Color	RAL 7035
Supply includes	Housing with door Mounting plate Cam lock with 3 mm double-bit insert 180° hinge
Protection category NEMA	NEMA 1, 3R, 4, 12
Protection category IP to EN 60 529	IP 66
Type rating according to UL 50E	Type 1, 3R, 4, 12
IK code	IK08
Dimensions	Width: 150 mm Height: 150 mm Depth: 120 mm Width: 5.91 " Height: 5.91 " Depth: 4.72 "

## Features

---

Mounting plate	Width: 125 mm Height: 135 mm Width: 4.92 " Height: 5.31 "
----------------	--------------------------------------------------------------------

---

Material thickness - enclosure	1.25 mm 0.05 "
--------------------------------	-------------------

---

Material thickness - door	1.25 mm 0.05 "
---------------------------	-------------------

---

Material thickness – mounting plate	2 mm 0.08 "
-------------------------------------	----------------

---

Lock	Number locks: 1
------	-----------------

---

Base material	Carbon steel
---------------	--------------

---

Packaging unit	1 pc(s).
----------------	----------

---

Weight/packaging unit	1.72 kg 3.8 lb.
-----------------------	--------------------

---

Copper weight (kg per piece)	0
------------------------------	---

---

Customs tariff number	84879090
-----------------------	----------

---

EAN	4028177816558
-----	---------------

---

ETIM 7.0	EC000261
----------	----------

---

ECLASS 8.0	27180101
------------	----------

---

## Approvals

---

Approvals	Bureau Veritas DNV-GL GOST Lloyds Register of Shipping UL + C-UL (listed)
-----------	---------------------------------------------------------------------------------------

---

Certificates	Protection category
--------------	---------------------

---

# Approvals

---

Explanations

Manufacturer's declaration  
Declaration of conformity  
Declaration of conformity UK