

# Rittal – The System.

Faster – better – everywhere.



## KX 1555.000

## KX small housing

Staat: 9/16/2022 (Bron: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# KX 1555.000 - KX small housing E-box KX, sheet steel

The small enclosure KX, E-Box KX, carbon steel offers remarkable ease of assembly and flexibility when selecting lock systems.

## Funcities

|                                     |  |
|-------------------------------------|--|
| Model No.                           | KX 1555.000  |
| Product description                 | The small enclosure KX, E-Box KX, carbon steel offers remarkable ease of assembly and flexibility when selecting lock systems. |
| Material                            | Housing: Carbon steel<br>Door: Carbon steel, all-round foamed-in PU seal   |
| Surface finish                      | Housing and door: Dipcoat primed, powder-coated on the outside, textured paint<br>Mounting plate: Zinc-plated                  |
| Color                               | RAL 7035   |
| Supply includes                     | Housing with door<br>Mounting plate<br>Cam lock with 3 mm double-bit insert<br>180° hinge                                      |
| Protection category NEMA            | NEMA 1, 3R, 4, 12  |
| Protection category IP to EN 60 529 | IP 66  |
| Type rating according to UL 50E     | Type 1, 3R, 4, 12  |
| IK code                             | IK08   |
| Dimensions                          | Width: 300 mm<br>Height: 300 mm<br>Depth: 120 mm<br>Width: 11.8 "<br>Height: 11.8 "<br>Depth: 4.72 "                           |

## Funcities

---

|                |  |
|----------------|--|
| Mounting plate | Width: 275 mm<br>Height: 285 mm<br>Width: 10.8 "<br>Height: 11.2 " |
|----------------|--|

---

|                                |                   |
|--------------------------------|-------------------|
| Material thickness - enclosure | 1.25 mm<br>0.05 " |
|--------------------------------|-------------------|

---

|                           |                   |
|---------------------------|-------------------|
| Material thickness - door | 1.25 mm<br>0.05 " |
|---------------------------|-------------------|

---

|                                     |                |
|-------------------------------------|----------------|
| Material thickness – mounting plate | 2 mm<br>0.08 " |
|-------------------------------------|----------------|

---

|      |                 |
|------|-----------------|
| Lock | Number locks: 1 |
|------|-----------------|

---

|               |              |
|---------------|--------------|
| Base material | Carbon steel |
|---------------|--------------|

---

|                |          |
|----------------|----------|
| Packaging unit | 1 pc(s). |
|----------------|----------|

---

|                       |                     |
|-----------------------|---------------------|
| Weight/packaging unit | 5.14 kg<br>11.3 lb. |
|-----------------------|---------------------|

---

|                              |   |
|------------------------------|---|
| Copper weight (kg per piece) | 0 |
|------------------------------|---|

---

|                       |          |
|-----------------------|----------|
| Customs tariff number | 94032080 |
|-----------------------|----------|

---

|     |               |
|-----|---------------|
| EAN | 4028177816572 |
|-----|---------------|

---

|          |          |
|----------|----------|
| ETIM 7.0 | EC000261 |
|----------|----------|

---

|            |          |
|------------|----------|
| ECLASS 8.0 | 27180101 |
|------------|----------|

---

## Goedkeuringen

---

|               |   |
|---------------|---|
| Goedkeuringen | Bureau Veritas<br>DNV-GL<br>GOST<br>Lloyds Register of Shipping<br>UL + C-UL (listed) |
|---------------|---|

---

|              |                     |
|--------------|---------------------|
| Certificaten | Protection category |
|--------------|---------------------|

---

# Goedkeuringen

---

Verklaringen

Manufacturer's declaration  
Declaration of conformity  
Declaration of conformity UK