


# Rittal – The System.

Faster – better – everywhere.



## SZ 2461.000 Lock Insert

State: 9/16/2022 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SZ 2461.000 - Lock Insert

Alternate lock inserts such as triangular, square, screwdriver, Daimler, Fiat, double-bit.

## Features

|                               |                                                                                                                                                                                                                                         |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model No.                     | SZ 2461.000                                                                                                                                                                                                                             |
| Version                       | A                                                                                                                                                                                                                                       |
| Material                      | Die-cast zinc                                                                                                                                                                                                                           |
| Length                        | 27 mm<br>1.06 ~                                                                                                                                                                                                                         |
| Installation in handle system | Comfort Handle AX<br>Mini-Comfort Handle AX<br>Ergoform-S handle Standard<br>Ergoform-S handle Standard for KS plastic enclosures                                                                                                       |
| Lock                          | Lock Insert: 8 mm square                                                                                                                                                                                                                |
| Suitable for enclosure type   | KX E-Box<br>AX<br>AX IT<br>Operating housings AX<br>AX plastic<br>EB<br>BG<br>AE<br>TE<br>TP desk unit and top piece<br>TP pedestals<br>One-piece console TP console cover<br>One-piece console TP console door<br>TP universal console |
| Packaging unit                | 1 pc(s).                                                                                                                                                                                                                                |
| Weight/packaging unit         | 0.02 kg<br>0 lb.                                                                                                                                                                                                                        |
| Copper weight (kg per piece)  | 0                                                                                                                                                                                                                                       |
| Customs tariff number         | 83015000                                                                                                                                                                                                                                |

# Features

|            |               |
|------------|---------------|
| EAN        | 4028177023789 |
| ETIM 7.0   | EC000743      |
| ECLASS 8.0 | 27409218      |

# Approvals

|           |      |
|-----------|------|
| Approvals | GOST |
|-----------|------|