

Rittal – The System.

Faster – better – everywhere.



SZ 2466.000 Lock Insert

State: 9/16/2022 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SZ 2466.000 - Lock Insert

Alternate lock inserts such as triangular, square, screwdriver, Daimler, Fiat, double-bit.

Features

Model No.	SZ 2466.000
Version	A
Material	Die-cast zinc
Length	27 mm 1.06 "
Installation in handle system	Comfort Handle AX Mini-Comfort Handle AX Ergoform-S handle Standard Ergoform-S handle Standard for KS plastic enclosures
Lock	Lock Insert: 3 mm double-bit
Suitable for enclosure type	KX E-Box AX AX IT Operating housings AX AX plastic EB BG AE TE TP desk unit and top piece TP pedestals One-piece console TP console cover One-piece console TP console door TP universal console
Packaging unit	1 pc(s).
Weight/packaging unit	0.02 kg 0 lb.
Copper weight (kg per piece)	0
Customs tariff number	83015000

Features

EAN	4028177023888
ETIM 7.0	EC000743
ECLASS 8.0	27409218

Approvals

Approvals	GOST
-----------	------
