

# Rittal – The System.

Faster – better – everywhere.



## TS 4695.000 Support Strip

State: 9/16/2022 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 4695.000 - Support Strip for VX, TS, VX SE, TP, AX

For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.



## Features

Model No.	TS 4695.000
Product description	For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.
Material	Carbon steel
Surface finish	Zinc-plated
Supply includes	Assembly components
Length	440 mm 17.3 "
Installation options VX	In enclosure depth 500 mm
Installation options VX SE	In enclosure depth 500 mm, on the outer mounting level
Installation options AX	In door width 500 mm, with cam lock In door width 500 mm, with 3-point lock system, in the hinged door
Installation options AE	In enclosure width/depth 500 mm, on the outer mounting level
Installation options AE	In enclosure width/height 500 mm, in conjunction with rail for interior installation AE
Installation options TP	In TP pedestal and one-piece console pedestal, in enclosure depth 500 mm, in conjunction with rail for interior installation for TP, compact enclosure HD

# Features

---

Technical specifications	4.5 mm diameter hole on a 25 mm hole pattern
Suitable for	Enclosure type: VX TS VX SE TP AX AE Suitable for width or depth: 500 mm Enclosure type: VX TS VX SE TP AX AE Suitable for width or depth: 19.7 "
Packaging unit	20 pc(s).
Weight/packaging unit	4.6 kg 10.1 lb.
Copper weight (kg per piece)	0
Customs tariff number	73269098
EAN	4028177108134
ETIM 7.0	EC002620
ECLASS 8.0	27189261

# Approvals

---

Approvals	GOST
-----------	------