

Product availability : Stock - Normally stocked in distribution facility



Price** : 98.00 USD



Main

Product	Single Throw Safety Switch
Current Rating	30 A
Enclosure Rating	NEMA 1
Factory Installed Neutral	Neutral (factory installed)
Disconnect Type	Fusible disconnect
Fuse Type	H or J
Mounting Type	Surface
Number of Poles	2
Duty Rating	Light duty
Voltage Rating	240 V AC
Wire Size	AWG 14...AWG 8 copper AWG 12...AWG 8 aluminium

Complementary

Width	155.70 mm (6.13 in)
Height	193.80 mm (7.63 in)
Depth	101.60 mm (4 in)
Tightening torque	3.39 N.m (30 lbf.in) 0.00...0.01 in ² (2.082...8.367 mm ²) AWG 14...AWG 8) 3.39 N.m (30 lbf.in) 0.01...0.01 in ² (3.307...8.367 mm ²) AWG 12...AWG 8)

Ordering and shipping details

Category	00057 - LIGHT DUTY SW, NEMA1, 30A
Discount Schedule	DE1A
GTIN	00785901499022
Package weight(Lbs)	1.53 kg (3.38 lb(US))
Returnability	Yes
Country of origin	MX

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds which is known to the State of California to cause Carcinogen & Reproductive harm. For more information go to www.p65warnings.ca.gov
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Contractual warranty

Warranty	18 months
----------	-----------

Approximate Dimensions

