

# Product data sheet

## Characteristics

# 8910DPA53V02

Contactor, Definite Purpose, 50A, 3 pole, 30 HP at 575 VAC, 3 phase, 110/120 VAC 50/60 Hz coil, open



Product availability: Stock - Normally stocked in distribution facility

Price\*: 224.00 USD



### Main

|                           |                            |
|---------------------------|----------------------------|
| Product or component type | Definite Purpose Contactor |
| Line Rated Current        | 50 A                       |
| Poles description         | 3P                         |
| Pole contact composition  | 3 NO                       |
| Range of product          | DPA                        |

### Complementary

|                                |  |
|--------------------------------|--|
| Maximum Horse Power Rating     | 3 Hp 115 V AC, 1 phase<br>10 Hp 230 V AC, 1 phase<br>15 Hp 230 V AC, 3 phase<br>30 Hp 460 V AC, 3 phase<br>30 Hp 575 V AC, 3 phase |
| Locked rotor rated current     | 300 A 277 V AC<br>250 A 460 V AC<br>200 A 575 V AC   |
| [Ue] rated operational voltage | 600 V AC   |
| [Uc] control circuit voltage   | 120 V AC 60 Hz<br>110 V AC 50 Hz   |
| Phase                          | 3 phase  |
| Electrical connection          | Box lugs<br>Quick connect terminals  |
| Height                         | 4.13 In (104.90 mm)<br>4.13 In (105 mm)  |
| Width                          | 2.56 In (65.02 mm)<br>2.56 In (65 mm)  |
| Depth                          | 3.67 In (93.22 mm)<br>3.66 In (93 mm)  |
| Net weight                     | 1.50 Lb(US) (0.68 kg)<br>1.5 Lb(US) (0.68 kg)  |

## Environment

|                        |                      |
|------------------------|----------------------|
| Product certifications | UL Recognized<br>CSA |
|------------------------|----------------------|

## Ordering and shipping details

|                       |                             |
|-----------------------|-----------------------------|
| Category              | 21345 - 8910 DPA 5_(50 AMP) |
| Discount Schedule     | CP1B                        |
| GTIN                  | 00785901080756              |
| Nbr. of units in pkg. | 1                           |
| Package weight(Lbs)   | 24.00 Oz (680.389 g)        |
| Returnability         | Yes                         |
| Country of origin     | CN                          |

## Packing Units

|                        |                    |
|------------------------|--------------------|
| Unit Type of Package 1 | PCE                |
| Package 1 Height       | 3.70 In (9.398 cm) |
| Package 1 width        | 2.80 In (7.112 cm) |
| Package 1 Length       | 4.50 In (11.43 cm) |


## Offer Sustainability

|                            |   |
|----------------------------|---|
| REACH Regulation           | <a href="#">REACH Declaration</a>             |
| EU RoHS Directive          | Compliant <a href="#">EU RoHS Declaration</a> |
| Mercury free               | Yes   |
| RoHS exemption information | <a href="#">Yes</a>                           |
| China RoHS Regulation      | <a href="#">China RoHS Declaration</a>        |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Approximate Dimensions



Product Life Status : **Commercialised**