

Product data sheet

Characteristics

JJL36250

Circuit breaker, PowerPacT J, unit mount, thermal-magnetic, 250A, 3 pole, 25 kA, 600 VAC



Product availability: Stock - Normally stocked in distribution facility

Price*: 7238.00 USD



Main

| | |
|---------------------------|-----------------|
| Product or component type | Circuit breaker |
|---------------------------|-----------------|

Complementary

| | |
|---------------------------|--|
| Poles description | 3P |
| Breaking capacity code | J |
| Magnetic hold current | 1250 A |
| Magnetic tripping current | 2500 A |
| Electrical connection | Lugs load Lugs line |
| Tightening torque | 230.12 Lbf.In (26 N.m) 0.15...0.29 in ² (95...185 mm ²) (AWG 3/0...350 kcmil) |
| Height | 7.52 In (191.01 mm) |
| Width | 4.12 In (104.65 mm) |
| Depth | 5 In (127.00 mm) |
| Continuous current rating | 80 % |

Ordering and shipping details

| | |
|-----------------------|--|
| Category | 01115 - HG,HJ,JG,JJ UNIT MT BREAKER/SWITCH |
| Discount Schedule | DE2 |
| GTIN | 00785901955979 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 4.85 Lb(US) (2.2 kg) |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

| | |
|------------------------|---------------------|
| Unit Type of Package 1 | PCE |
| Package 1 Height | 7.10 In (18.034 cm) |
| Package 1 width | 6.40 In (16.256 cm) |
| Package 1 Length | 9.90 In (25.146 cm) |


Offer Sustainability

| | |
|----------------------------|--|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: DIN-P, which is known to the State of California to cause cancer, and DID-P, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Compliant EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS Declaration |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End Of Life Information |
| WEEE | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |
| PVC free | Yes |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Approximate Dimensions



Product Life Status : Commercialised