

# Product data sheet

## Characteristics

# LV426844

standard MX shunt release, ComPact NSXm,  
rated voltage 250 VDC, 220/240 VAC 50 Hz,  
208/240 VAC 60Hz, 277 VAC 60 Hz



Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 620.00 USD



### Main

Device short name	MX
Product or Component Type	Voltage release
Device Application	Control
Range compatibility	PowerPact B ComPact NSXm
Voltage release type	Shunt trip release
[Uc] control circuit voltage	277 V AC 60 Hz 250 V DC 220...240 V AC 50 Hz 208...240 V AC 60 Hz

### Complementary

Control signal type	Impulse Maintained
Impulse duration	>= 20 ms
Threshold tripping voltage	0.7 Un opening
Mounting Mode	Clip-on
Response time	< 50 ms
Auxiliary connection terminal	Spring

### Ordering and shipping details

Category	01136 - PP-B FRAME ACCESSORIES
Discount Schedule	DE2
GTIN	03606485413075
Nbr. of units in pkg.	1
Package weight(Lbs)	2.22 Oz (63 g)
Returnability	No
Country of origin	FR

## Packing Units

Unit Type of Package 1	PCE
Package 1 Height	1.38 In (3.5 cm)
Package 1 width	2.36 In (6 cm)
Package 1 Length	3.35 In (8.5 cm)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Weight	24.02 Oz (681 g)
Package 2 Height	3.54 In (9 cm)
Package 2 width	3.15 In (8 cm)
Package 2 Length	5.51 In (14 cm)
Unit Type of Package 3	S03
Number of Units in Package 3	80
Package 3 Weight	12.83 Lb(US) (5.82 kg)
Package 3 Height	11.81 In (30 cm)
Package 3 width	11.81 In (30 cm)
Package 3 Length	15.75 In (40 cm)

## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: DIN-P, which is known to the State of California to cause cancer, and DID-P, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Product Life Status : **Commercialised**